SUBJECT INDEX

A

Achondrites
  Acapulco-like specimens, petrology, geochemistry, chronology, origin, 60(5): 867
  Lodran-like specimens, petrology, geochemistry, chronology, origin, 60(5): 867
  Monument Draw, study of, 60(14): 2681
Acid mine drainage water
  Fe, geochemistry, 60(12): 2111
Adularia (K-feldspar)
  H, defects, 60(21): 4075
Alaska, USA
  U-Pb dating, zircon, Tertiary plutons, panhandle, 60(20): 3957
Albite
  diffusion, Sr, 60(24): 5037
Alpha particles
  stopping range, 60(20): 4223
Aluminum
  acetate complexes, molecular orbital models, 60(24): 4897
  Al_2O_3, alpha, sorption, Pb^{2+}, 60(18): 3541
  Al_2O_3, sorption, Cd-citrate, 60(16): 2929
  bauxite formation, model, 60(24): 4913
  biogenic sediment, Pacific Ocean, 60(20): 3869
  effect, silicate melt, 60(10): 1727
  Na-aluminate, stability, 60(2): 197; erratum, 60(11): 2061
  river water, California, 60(8): 1323
  speciation, KOH solution, 60(23): 4601
^{26}Al
  deep-sea sediment, 60(1): 109
ALH84001
  S, isotope systematics, 60(15): 2921
$Al(OH)_3$
  enthalpy, standard, 60(1): 1
Alberta, Canada
  Nisku Formation, Devonian, sulfide minerals, 60(2): 325
Alps
  Dora-Maira nappe, $^{40}Ar/^{39}Ar$ dating, phengite, 60(6): 1075
  ultramafic lenses, Os and Nd, isotope compositions, 60(14): 2583
Alunite
  Ar, release, 100 to 1000°C, 60(22): 4525
Amazon river
  As, diagenesis, sediment, continental shelf, 60(9): 1465
  consumption, dissolved organic carbon, 60(10): 1783
  sediment, sorption, ^{210}Pb and ^{234}Th, 60(12): 2123
Amino acids
  lunar soil, Apollo 17, 60(2): 349
Ammonium
  supracrustal rocks, Isua, West Greenland, 60(12): 2173
Amphibole
  partitioning, trace elements, spinel lherzolite, 60(3): 423
  trace elements, xenoliths, 60(8): 1367
Andes mountains
  Orinoco River, geochemistry, 60(16): 2949
Animals
  O, isotope composition, diet, physiological adaptation, 60(23): 4811
  O, isotope fractionation, phosphate-carbonate, mammalian bones, 60(24): 5145
Anorthosite
  Sr, Nd, isotope composition, Laramie Range, Wyoming, 60(1): 95
Antarctica
  ALH84001, magnetite, 60(24): 5149
  ALH84001, S, isotope systematics, 60(15): 2921
  Lake Hoare, sediment, 60(5): 765
Apatite
  He, diffusion, 60(21): 4231
  O, isotope fractionation, phosphate-carbonate, bone, 60(24): 5145
  partitioning, trace elements, spinel lherzolite, 60(3): 423
  REE, intracrystalline, 60(22): 4435
  REE, orthogneiss, Norway, 60(8): 1341
  thermal annealing, fission tracks, 60(24): 5117
Appalachian basin
  Mississippi Valley-type Pb-Zn deposits, fluid inclusions, 60(2): 226
Aragonite
  solid solution, $CaCO_3$-$SrCO_3$, 60(6): 933
  trace elements, corals, Thailand, 60(18): 3457
Argon
  alunite, release, 100 to 1000°C, 60(22): 4525
  chondrite meteorites, Hf/Cl residues, 60(17): 3318
  groundwater, Switzerland, 60(9): 1497
  Laacher See, maar, Germany, 60(1): 31
  Magnus oilfield, North Sea, 60(5): 831
  retention, hornblende, effect of chemical composition, 60(19): 3687
  spherule, lunar, Apollo 15, 60(4): 698
  transport, ^{40}Ar, Dora-Maira nappe, 60(6): 1075
$^{40}Ar/^{39}Ar$ method of dating
  achondrite meteorites, 60(5): 882
  cooling history, leucogranite, Massif Central, France, 60(23): 4653
  cryptomelane (K-Mn oxide), Azul, Brazil, 60(12): 2219
  Monument Draw, meteorite, 60(14): 2698
  phengite, Dora-Maira nappe, western Alps, 60(6): 1075
Arsenic
  diagenesis, sediment, Amazon shelf, 60(9): 1465
  sorption, arsenate, ferrihydrite, 60(10): 1765
  thermodynamic properties, As(III) complexes, 60(6): 737
Atlantic Ocean
  Ceara Rise, $CaCO_3$, dissolution, 60(2): 243
  Celtic Sea, Zr and Hf concentrations, 60(21): 3995
  Fe, concentration and distribution, 60(15): 2729
  Middle Atlantic Bight, remineralization, trace metals, 60(18): 3383
Atmosphere
  partial pressure, O_2, Phanerozoic, 60(22): 4397
Atomic Force Microscopy
  bacteria, interaction with minerals, 60(13): 2473
Australia
  Cahill Formation, schist, U ore, 60(10): 1695
  Tablelands, southeastern Australia, themoluminescence dating, 60(4): 565

B

Bacteria
  Au, in vitro produced, 60(22): 4369
  consumption, DOC, Amazon River, 60(10): 1783
  interaction, minerals, 60(13): 2473
  mobilization, Po, 60(22): 4321
  oxidation, Co, seawater, 60(18): 3415
  oxidation, Mn, seawater, 60(18): 3415
  Se, uptake, 60(18): 3531
  sediment, lacustrine, early diagenesis, 60(13): 2333
Baikal, Lake
  bottomwater formation, Frolikha Bay, 60(6): 961
  He, isotope composition, 60(6): 963
Baltic Sea
  sediment, Mn-rich, origin, 60(8): 1399
Barbados
  soil, source rocks, 60(21): 4193
Barite
  ^{226}Ra, marine sediment, sedimentation rate, 60(22): 4313
Barium
  corals, Thailand, 60(18): 3469
  foraminifera, analysis, 60(16): 3143
  incorporation, calcite, 60(9): 1543
  partitioning, calcite, 60(6): 1053
  profiles, Mercenaria, Spisula, 60(18): 3445
  selfdiffusion, haplobasaltic melt, 60(8): 1329
Basalt
  convective flow, water, Mururoa, Polynesia, 60(12): 2087
  corundum megacrysts, alkali basalt, 60(13): 2347
  O, isotope composition, crustal contamination, 60(23): 4765
  oxidation, basaltic glass, 60(17): 3253
  petrogenesis, crustal contamination, 60(14): 2559
  petrogenesis, Vietnam, 60(22): 4329
  selfdiffusion, Mg, Ca, Ba, Nd, Yb, Ti, Zr, U, 60(8): 1329
  selfdiffusion, Si and O, melt, 60(3): 405
  soil, volcanic, I^-, reactivity, 60(24): 4945
  spherules, West Greenland, 60(5): 815

Bauxite
formation, mass transfer model, 60(24): 4913
Bentonite
O, H, isotope composition, 60(21): 4285
Beryllium
B/Be ratios, volcanic rocks, Mexico, 60(4): 613
^{10}Be
deep-sea sediment, 60(1): 109
Biotite
dissolution kinetics, 60(3): 367
H, isotope fractionation factor, 60(13): 2443
Black Sea
pyrite, formation, S isotope composition, 60(7): 1261
Boehmite
enthalpy, standard, 60(1): 1
solubility, 60(2): 197
Bone, archaeological
O, isotope fractionation, phosphate-carbonate, mammalian apatite, 60(24): 5145
U, sorption, diffusion, 60(12): 2139
Boron
B/Be ratios, volcanic rocks, Mexico, 60(4): 613
boric acid, fluid inclusions, pegmatite, 60(18): 3435
geochemistry, intraplate lavas, 60(3): 415
hydrothermal fluids, subduction zones, 60(4): 587
Boron, isotope composition
lunar rocks, 60(23): 4877
meteorites, 60(23): 4877
tourmaline, England, 60(8): 1415
Botswana
diamonds, trace elements, 60(23): 4711
Brachiopods
Sr, isotope composition, Middle Devonian, 60(4): 639
Brazil
Azul, isotopic dating, cryptomelane, 60(12): 2219
Pb-Pb dates, zircon, 60(24): 5063
Brine
$CaCl_2$-H_2O, dehydration, montmorillonite, 60(12): 2167
Dead Sea, groundwater, source and age, 60(11): 1909
fluid inclusions, Mississippi Valley-type deposits, 60(2): 225
fractionation, isotopic, H and O, carnallite, 60(14): 2721
Oak Ridge, Tennessee, 60(5): 787
relations, Na-Ca-Cl, basinal brines, 60(15): 2743
Brucite
dissolution kinetics, 60(24): 5055
Bunsenite, NiO
solubility, ligand promoted, 60(2): 213

C

Cadmium
foraminifera, analysis, 60(16): 3143
Gibbs free energy of formation, Cd oxalate, 60(8): 1283
incorporation, calcite, 60(9): 1543
partitioning, calcite, 60(6): 1053
sorption, Al_2O_3, 60(16): 2929
CAI (Ca-Al inclusions)
Allende, AF clast, microtexture, 60(14): 2561
Efremovka, K, isotope composition, 60(10): 1828
Calcite
diagenesis, fibrous magnesian calcite, cement, 60(13): 2427
dissolution, kinetics, 60(18): 3375; 60(23): 4883
isotope analysis, laser, 60(15): 2909
Mg concentration, effect of $P(CO_2)$, 60(2): 315
overgrowths, Pt-C replicas, 60(23): 4689
partitioning, Ba^{2+}, 60(6): 1053
partitioning, Cd^{2+}, 60(6): 1053
partitioning, Sr^{2+}, 60(6): 1053
precipitation kinetics, effect of DOC, 60(15): 2765
REE, Yucca Mountain, Nevada, 60(22): 4417
sorption, Co^{2+}, 60(15): 2801
speleothem, isotope composition, C and O, 60(2): 337
Sr, Yucca Mountain, Nevada, 60(22): 4417
Sr/Ca, skeletal, Mytilus, 60(21): 4207
thermodynamic properties, 60(18): 3471
V, foraminifera, 60(19): 3701
Calcium
$CaCl_2$-H_2O system, 60(1): 7
$CaCO_3$, dissolution, Ceara Rise, Atlantic Ocean, 60(2): 243
selfdiffusion, diopside, 60(21): 4095
selfdiffusion, haplobasaltic melt, 60(8): 1329
sorption, Ca^{2+}, goethite, 60(2): 291
target, ^{36}Cl production, nuclear spallation, 60(4): 679
California, USA
Death Valley, shrubs and trees, 60(16): 3015
Dish Hill, xenoliths, 60(11): 1933
geochemistry, Ga and Al, river water, 60(8): 1323
groundwater, Great Basin, Re, Mo, U, 60(17): 3198
pegmatites, boric acid, in fluid inclusions, 60(18): 3436
San Francisco Bay, isotope composition, salinity, 60(3): 455
San Francisco Bay, trace metals, 60(24): 4933
Santa Barbara basin, sediment, diagenesis, 60(21): 4037
Canada
Abitibi belt, petrogenesis, 60(22): 4551
St. Lawrence River system, isotope geochemistry, water, 60(5): 851
Strange Lake, peralkaline complex, 60(11): 1917
Sudbury, Ontario, impact glass, 60(11): 2019
Sudbury, Ontario, sources of metals, 60(9): 1605
Yukon, xenoliths, spinel lherzolite, 60(21): 4241
^{14}C
brine, groundwater, Dead Sea, Israel, 60(11): 1909
dating, carbonate, Lake Lahontan, Nevada, 60(15): 2817
Carbon dioxide
alteration, rhyolite, hydrothermal solutions, effect of CO_2, 60(20): 3859
clathrates, H_2O-CO_2 system, 60(10): 1657
CO_2-H_2 mixtures, Pt catalyst, 60(15): 2917
effect on Mg substitution, calcite, 60(2): 315
soil, Phanerozoic, 60(22): 4397
Carbon, dissolved inorganic
C, isotope composition, Pacific Ocean, 60(22): 4512
Carbon, dissolved organic
biogeochemical cycle, thermodynamic stability, 60(19): 3569
consumption, Amazon river, 60(10): 1783
diagenesis, marine sediment, 60(19): 3619
kinetics, calcite precipitation, 60(15): 2765
trace element, sorption, stream water, 60(19): 3643
Carbon, isotope composition
bones, climate effect, 60(21): 4161
calcite, Mytilus trossulus, 60(21): 4207
calcite cement, marine, 60(13): 2427
carbonate rocks, Belt Supergroup, Montana and Idaho, 60(4): 667
cellulose, Tamarix jordanis, 60(17): 3305
CO_2, marine sediment, 60(20): 3835
corals, scleractinian, Florida, 60(15): 2871
dissolved inorganic C, Pacific Ocean, 60(22): 4512
foraminifera, planktonic, 60(22): 4517
groundwater, Florida, 60(24): 5075
leaves, plants, Death Valley, California, 60(16): 3017
methane, marine sediment, 60(20): 3835
organic matter, foram shells, 60(24): 5089
organic matter, shale, 60(9): 1580
ostracods, lacustrine sediment, Ammersee, Germany, 60(21): 4025
seawater, 60(21): 4207
SiC grains, Murchison, 60(5): 883
speleothem, eastern Mediterranian, 60(2): 337
standardization, 60(17): 3359
teeth, herbivore, 60(20): 3891
tree rings, fir, Taiwan, 60(1): 171
tree rings, Tamarix aphylla, Death Valley, California, 60(16): 3019
Carbon, organic
cycle, marine sediment, 60(20): 3846
mineralization, early diagenesis, marine sediment, 60(6): 1019
Carnallite
H, isotope fractionation, brine, 60(14): 2721
O, isotope fractionation, brine, 60(14): 2721
Cerium
picritic glasses, Moon, 60(18): 3521
Cesium
sorption, clay minerals, 60(6): 1041
sorption, illite, 60(21): 4059
sorption, kaolinite, 60(21): 4059
^{137}Cs
marine sediment, Norwegian Sea, 60(18): 3427
transport, sediment, 60(6): 995

^{134}Cs
marine sediment, Norwegian Sea, 60(18): 3427
Chernobyl, Ukraine
fallout, Norwegian Sea, 60(18): 3425
China
Qinghai Lake, alkenones, in sediment, 60(2): 235
Chlorophyll
decomposition products, 60(12): 2265
Chondrites
carbonaceous, correlated alteration, 60(14): 2621
classification, compositional, 60(12): 2243
chondrules, FeO-rich, 60(16): 3115
Kakangari grouplet, O, isotope composition, 60(21): 4253
metal phases, L chondrites, 60(14): 2667
Mokoia, petrography, origin, 60(21): 4265
parent bodies, evolution, 60(3): 489
partial melts, St. Severin and Lost City, 60(3): 539, 543
Chondrules
crystallization, annealing, experimental study, 60(12): 2233
pyroxene chondrules, FeO-rich, unequilibrated ordinary chondrites, 60(16): 3115
Chromium
iron oxides, lateritic, 60(21): 4279
jarosite, Cr analog, solubility, 60(20): 3815
Clathrates
H_2O-CO_2 system, model, 60(10): 1657
Clay minerals
dehydration, montmorillonite, SWy-1, 60(12): 2167
dissolution kinetics, montmorillonite, 60(6): 921
fractionation, H isotopes, kaolinite, 60(3): 529
fractionation, O isotopes, kaolinite, 60(3): 469
glauconite, model, potentiometric titration, 60(18): 3363
H, isotope composition, 60(21): 4285
illite, formation, stability, solubility, 60(11): 1873
interaction with water, ^{2}HNMR study, 60(2): 265
kinetics, smectite-illite transformation, 60(3): 439
O, isotope composition, 60(21): 4285
smectite, sorption UO_2^{2+}, 60(18): 3399
solubility, kaolinite, 60(4): 553
sorption, Cs, 60(6): 1041
Climate
bones, deer, N and C, isotope composition, 60(21): 4161
C, isotope composition, cellulose, Tamarix, Israel, 60(17): 3305
C, isotope composition, corals, Florida, 60(15): 2871
C, isotope composition, marine calcite, 60(13): 2427
C, isotope compositions, tree rings, Taiwan, 60(1): 171
H, isotope composition, cellulose, 60(12): 2209
Mg concentration, foraminiferal calcite, water temperature, 60(5): 803
O, isotope composition, cellulose, 60(12): 2209
O, isotope composition, cellulose, Tamarix, Israel, 60(17): 3305
O, isotope composition, corals, 60(15): 2857
O, isotope composition, marine calcite, 60(12): 2427
O, isotope composition, phytoliths, opal, 60(20): 3949
O, isotope composition, teeth, herbivore, 60(20): 3889
speleothems, isotope composition, O and C, 60(2): 337
Sr/Ca, corals, annual cycles, 60(16): 3075
temperature calibration, D(Sr/Ca), corals, Porites, 60(20): 3849
temperature record, lake sediment, central Europe, 60(21): 4025
Clinopyroxene
partitioning, REE, cpx-melt, 60(2): 359
partitioning, trace elements, lamprophyre melt, 60(4): 629
partitioning, trace elements, spinel lherzolite, 60(3): 423
REE concentration, 60(4): 631
^{36}Cl
groundwater, brine, Dead Sea, 60(11): 1909
spallation reaction, calcium, 60(4): 679
Cobalt
Co^{2+}, sorption, calcite, 60(15): 2801
Co^{2+}, sorption, quartz, 60(14): 2515
Co^{2+}, sorption, rutile, 60(14): 2515
complexes, EDTA, sorption by ferrihydrite, 60(11): 1899
incorporation, calcite, 60(9): 1543
oxidation, microbial, seawater, 60(18): 3415
solubility, silicate melt, 60(7): 1181
^{60}Co
transport, EDTA complexes, 60(11): 1899
Colombia
Orinoco River, geochemistry, 60(16): 2949
Complexation
Ag^+, aquated, 60(13): 2273
Al acetate, molecular orbital models, 60(24): 4897
Al silicates, acidic solution, stability, 60(14): 2495
Au^+, with HS^-, 60(11): 1849
Co, EDTA, 60(11): 1899
Mn chloride, stability, 60(22): 4295
Na-Al, crustal fluids, 60(2): 197; erratum, 60(11): 2061
Nd^{2+}, chloride complexes, 60(23): 4615
Np, carbonate, 60(12): 2065
speciation, porewater, lacustrine sediment, 60(13): 2333
Compressibility
CaO-Al_2O_3-SiO_2 melt, 60(1): 75
glass, high-Ti, lunar, 60(14): 2709
Congo river (see Zaire river)
Connecticut, USA
metamorphism, pelitic schist, 60(18): 3487
Conodonts
Sr, isotope composition, 60(4): 639
Copper
partitioning, solid-liquid sulfide, 60(7): 1231
sorption, Cu^{2+}, goethite, 60(2): 291
sorption, goethite, 60(24): 5045
xenoliths, Dish Hill, California, 60(11): 1935
Corals
C, isotope composition, Florida, 60(15): 2871
O, isotope composition, Florida, 60(15): 2857
Sr/Ca, annual cycles, 60(16): 3075
temperature calibration, D(Sr/Ca), Porites, 60(20): 3849
trace elements, Phuket, Thailand, 60(18): 3457
Core, Earth's
formation, 60(7): 1106
formation, constraint by W depletion, bulk silicate Earth, 60(7): 1155
^{182}Hf, constraint, core formation, 60(7): 1131
melting, 60(7): 1109
S, concentration, 60(7): 1125
viscous heating, convection, outer core, 60(7): 1113
Core, Moon
formation, 60(7): 1205
Core, parent body, meteorites
crystallization, 60(9): 1615
Corundum
solubility, KOH solution, 60(23): 4601
sorption, Cd and citrate, 60(16): 2929
zircon inclusions, trace elements, 60(13): 2347
Cosmogenic radionuclides
^{26}Al, deep-sea sediment, 60(1): 109
^{10}Be, deep-sea sediment, 60(1): 109
^{14}C, brine, groundwater, Dead Sea, Israel, 60(11): 1909
^{36}Cl, brine, groundwater, Dead Sea, Israel, 60(11): 1909
^{36}Cl, production, calcium, spallation reaction, 60(4): 679
Cryptomelane (K-Mn oxide)
$^{40}Ar/^{39}Ar$ method of dating, 60(12): 2219
Crystals
ordering, three sites, 60(12): 2075

D

Dead Sea, Israel
age, brine, 60(11): 1909
Death Valley, California
groundwater, chemical composition, 60(17): 3200
shrubs and trees, isotope composition, C and S, 60(16): 3015
Diagenesis
As, sediment, Amazon shelf, 60(9): 1465
calcite, magnesian, fibrous, marine, 60(13): 2427
coastal marine sediment, model, 60(16): 2993
degradation, lipids, marine sediment, 60(10): 1793
estuarine sediment, S, organic and inorganic, St. Andrew Bay, Florida, 60(13): 2325
Fe^{3+}/SO_4^{2-} reduction interface, 60(17): 3169
isorenieratene, products of, 60(22): 4467

marine sediment, Middle Atlantic Bight, 60(18): 3383
methanogenesis, organic matter, marine sediment, 60(20): 3835
model, mineralization, C, O_2, and N_2, 60(6): 1019
model, sediment, lacustrine, 60(13): 2333
model, tortuosity, 60(16): 3139
organic matter, marine sediment, 60(19): 3619
pyritization, sapropel, Mediterranean, 60(5): 751
S, incorporation, Jurassic mudrocks, 60(21): 4181
sapropel, eastern Mediterranean Sea, 60(21): 4007
sediment, Santa Barbara basin, California, 60(21): 4037
Diamonds
N, aggregation kinetics, 60(23): 4725
origin, presolar, 60(23): 4853
trace elements, fluid inclusions, Botswana, 60(23): 4711
Diffusion
Ar, metamorphism, 60(6): 1082
Ca, diopside, selfdiffusion, 60(21): 4095
H_2S, sapropel, Mediterranean, 60(5): 751
He, apatite, 60(21): 4231
multicomponent, CaO-Al_2O_3-SiO_2, high T and P, 60(24): 5021
Nd, rhyolite melt, 60(8): 1387
oxidation, basaltic glass, 60(17): 3253
Pb, rhyolite melt, 60(8): 1387
porewater, lacustrine sediment, 60(13): 2333
selfdiffusion, CaO-Al_2O_3-SiO_2, 60(22): 4353
selfdiffusion, Mg, Ca, Ba, Nd, Yb, Ti, Zu, U, haplobasalt melt, 60(8): 1329
selfdiffusion, Si and O, basaltic melt, 60(3): 405
Sn, haplogranitic melt, 60(24): 4965
Sr, albite, 60(24): 5037
Sr, rhyolite melt, 60(8): 1387
Sr, sanidine, 60(24): 5037
tortuosity, sediment, model, 60(16): 3139
U, bone, archaeological, 60(12): 2139
Diopside
Ca, selfdiffusion, 60(21): 4095
Dissolution
brucite, 60(24): 5055
calcite, kinetics, 60(18): 3375; 60(23): 4883
galena, surface chemistry, 60(16): 3067
goethite, ligand-promoted, 60(22): 4403
Dolomite
crystal growth, surface complexation, 60(4): 727
O, isotope composition, reservoir, natural gas, 60(20): 3925
recrystallization, experimental, 60(12): 2189

E

Earth
core, formation, 60(6): 1106
East Pacific Rise
He, isotope composition, sulfide minerals, 60(1): 87
ECSTM (Electrochemical scanning tunneling microscopy)
galena, surface chemistry, dissolution, 60(16): 3067
Efremovka, meteorite
K, isotope composition, 60(10): 1823
England
Cleveland basin, Jurassic mudrocks, marine, 60(21): 4181
Dartmoor granite, quartz veins, origin, 60(4): 653
ore deposits, B isotopes, tourmaline, 60(8): 1415
Enstatite
lunar norite, geochemical study, 60(20): 3967
Enthalpy
Au^+, complexes with HS^-, 60(11): 1861
gibbsite, boehmite, $Al(OH)_3$, 60(1): 1
mixing, $(Fe,Mg)CO_3$, 60(22): 4377
mixing, $SrCO_3$-$CaCO_3$, 60(6): 933
Environmental contamination
brine, Oak Ridge, Tennessee, 60(5): 787
Epidote
H, isotope fractionation, 60(13): 2441
Equation of state
mixtures, supercritical fluids, 60(7): 1209
periclase, molecular dynamics model, 60(10): 1645
perovskite, molecular dynamics model, 60(10): 1645
Estuary
chemical fluxes, estimates, 60(17): 3177
recycling trap, 60(17): 3177
Eucrite
Caldera, age, 60(23): 4889
Petersburg, petrology, 60(1): 135
petrogenesis, noncumulate, 60(22): 4571
Pu-Xe dating, 60(13): 2453

F

Ferrihydrite
sorption, Au hydroxo-chlorocomplexes, 60(9): 1531
sorption, Co-EDTA complexes, 60(11): 1899
structure, wide angle x-ray scattering, 60(10): 1765
Fission tracks
garnet, U mapping, 60(1): 121
thermal annealing, apatite, 60(24): 5117
Florida, USA
corals, C, isotope composition, 60(15): 2871
corals, O, isotope composition, 60(15): 2857
groundwater, 60(24): 5075
Po, groundwater, 60(22): 4321
St. Andrews Bay, estuarine sediment, 60(13): 2325
Fluid inclusion
boric acid, pegmatite minerals, 60(18): 3435
diamonds, trace elements, 60(23): 4711
gold-quartz veins, Spain and Portugal, 60(1): 43
isochoric-isoplethic paths, 60(20): 3825
Mississippi Valley-type deposits, 60(2): 225
quartz veins, Dartmoor granite, England, 60(4): 653
synthetic, CH_4-H_2O-NaCl system, phase relations, 60(11): 1885
xenoliths, peridotite, 60(17): 3229
Foraminifera
analysis, Ba, Cd, Sr, 60(16): 3143
C, isotope composition, organic matter, 60(24): 5089
C, isotope composition, planktonic, 60(22): 4517
environmental indicators, deep water, northeast Pacific Ocean, 60(22): 4509
erratum, Mg, proxy for water temperature, 60(13): 2483
Mg concentration, temperature indicator, 60(5): 803; 60(13): 2483
O, isotope composition, planktonic, 60(22): 4517
V, calcite, 60(19): 3701
Forsterite (olivine)
evaporation, in H_2 gas, 60(8): 1445
Fractionation, isotopic
H, carnallite-brine, 60(14): 2721
H, hydrothermal system, submarine, 60(9): 1595
H, hydrous minerals-H_2, 60(13): 2437
H, kaolinite-water, 60(3): 529
H, plant water-cellulose, 60(12): 2209
N_2, soil gases, 60(6): 1005
O, calcite, model, 60(18): 3481
O, carnallite-brine, 60(14): 2721
O, kaolinite, hydroxyl-nonhydroxyl sites, 60(3): 469
O, muscovite-calcite, 60(14): 2595
O, phlogopite-calcite, 60(14): 2595
O, phosphate-carbonate, mammalian apatite, 60(24): 5145
O, plant water-cellulose, 60(12): 2209
O, rhyolite melt-CO_2, 60(11): 1963
O, rutile-calcite, 60(14): 2595
O_2, soil gases, 60(6): 1005
France
Massif Central, plutons, leucogranite, 60(23): 4653

G

Gabon
Franceville, natural fission reactor, 60(23): 4831
Galena
surface chemistry 60(13): 2413
surface chemistry, dissolution, 60(16): 3067
Gallium
geochemistry, river water, California, 60(8): 1323
Garnet
heat capacity, pyrope-grossular, 60(17): 3215
Sm-Nd dating, role of inclusions, 60(1): 109
U-Pb dating, role of inclusions, 60(1): 121
Germany
Ammersee, O isotope composition, ostracods, 60(21): 4025
Laacher See, noble gases, flux, 60(1): 31
Gibbs free energy of formation
Cd oxalate, 60(8): 1283
Hg oxalate, 60(8): 1283
kaolinite, 60(4): 553

Pb oxalate, 60(8): 1283
Zn oxalate, 60(8): 1283
Gibbsite
enthalpy, standard, 60(1): 1
Glass
Al, effect on silicate network, 60(10): 1727
compressibility, lunar, high-Ti, 60(14): 2709
cooling rate, tektites, 60(6): 1099
dissolution kinetics, lunar glass, 60(1): 157
expansivity, 60(24): 4989
impact glass, Sudbury, Ontario, 60(11): 2019
lunar, picritic, Nb, Zr, Ce, 60(18): 3521
oxidation, basaltic glass, 60(17): 3253
spherules, basalt, West Greenland, 60(5): 815
Ti^{4+}, coordination chemistry, 60(16): 3023, 3039, 3055
trace elements, neutron activation, 60(7): 1195
Glauconite
titration, potentiometric, model, 60(18): 3363
Goethite
abundance, $Fe(CO_3)OH$, 60(22): 4397
adsorption, Cu, 60(24): 5045
adsorption, organic acids, 60(24): 5045
adsorption, sulfate, 60(24): 5045
Cr, laterite, 60(21): 4279
dissolution, ligand-promoted, 60(22): 4403
model, molecular statics, 60(9): 1553
model, proton binding, surface sites, 60(9): 1563
sorption, Au hydroxo-chloro complexes, 60(9): 1531
sorption, Cu^{2+}, Ca^{2+}, effect, organic acid, 60(2): 291
sorption, o-phthalate, 60(22): 4385
sorption, phosphate, 60(22): 4385
sorption, sulfate, 60(15): 2789
V, laterites, 60(21): 4279
Gold
chondrites, carbonaceous, 60(17): 3354
complexation, Au(I) with HS^-, 60(11): 1849
gold-quartz veins, fluid inclusions, Spain and Portugal, 60(1): 43
K-T boundary layer, Gubbio, Italy, 60(24): 5133
P, bacterial gold, 60(22): 4369
partitioning, sulfide liquid-basalt, 60(13): 2397
S, bacterial Gold, 60(22): 4369
sorption, ferrihydrite, goethite, 60(9): 1531
speciation, ions, aqueous solution, 60(1): 17
xenoliths, Dish Hill, California, 60(11): 1935
Granite
Hf, isotope composition, Precambrian, crustal, 60(19): 3713
Nd, isotope composition, Precambrian, crustal, 60(19): 3717
U, solubility, fluid-melt partitioning, 60(9): 1515
Greenland
Isua, supracrustal rocks, NH_4^+ content, 60(12): 2173
spherules, basalt, West Greenland, 60(5): 815
Greigite (Fe_3S_4)
pyrite, formation, 60(21): 4167
Groundwater
Dead Sea, source and age, 60(11): 1909
discharge, Gulf of Mexico, methane budget, 60(23): 4735
evolution, chemical composition, Wisconsin, 60(10): 1807
mixing, lake water, Florida, 60(24): 5075
Mo, Great Basin, USA, 60(17): 3197
Po, bacterial mobilization, 60(22): 4321
Re, Great Basin, USA, 60(17): 3197
U, Great Basin, USA, 60(17): 3197
Yucca Mountain, Nevada, paleotransport, Sr, REE, 60(22): 4417
Gulf of Mexico
CH_4, budget, coastal water, 60(23): 4735
Gypsum
crystal growth, microtopography, 60(17): 3295

H

Hafnium
granite, crustal, 60(19): 3723
seawater, continental shelf, northeastern Atlantic, 60(21): 3995
Hf, isotope composition
granites, Precambrian, crustal, 60(19): 3717
^{182}Hf
presence, early solar system, 60(7): 1131
Hawaii, U.S.A.
xenolith, noble gases, 60(23): 4773
Heat capacity
garnet, pyrope-grossular, 60(17): 3215
Hectorite
interaction with water, NMR study, 60(2): 265
Helium
diffusion, apatite, 60(21): 4231
Helium, isotope composition
chondrite meteorites, Hf/Cl residues, 60(17): 3318
groundwater, Switzerland, 60(9): 1497
hydrothermal sulfides, East Pacific Rise, 60(1): 87
Laacher See, maar, Germany, 60(1): 31
Lake Baikal, 60(6): 963
Magnus oilfield, North Sea, 60(5): 831
Hematite
Cr, laterite, 60(21): 4279
model, molecular statics, 60(9): 1553
O, isotope composition, iron formation, Archean, India, 60(17): 3291
surface chemistry, 60(2): 305
V, laterite, 60(21): 4279
History of geochemistry
Ebelman, J.J., chemical weathering, 60(9): 1633
Hornblende
Ar retention, effect of chemical composition, 60(19): 3687
dissolution kinetics, 60(6): 941
H, isotope fractionation factor, 60(13): 2443
Hydrocarbons
aryl isoprenoids, indicators, anoxia, photic zone, 60(23): 4873
biodegradation, Bahloul Formation, Tunesia, 60(15): 2833
isohexyl alkylaromatic, sediment, 60(23): 4747
stability, thermodynamic, 60(22): 4447
Hydrochloric acid
formation, system $CaCl_2$-H_2O, 60(1): 7
Hydrogen
adularia, H defects, 60(21): 4075
CO_2-H_2 mixtures, Pt catalyst, 60(15): 2917
Hydrogen, isotope composition
brine, Oak Ridge, Tennessee, 60(5): 787
clay minerals, bentonite, 60(21): 4285
fractionation factors, hydrous minerals, 60(13): 2442
groundwater, 60(24): 5075
hydrothermal system, submarine, 60(9): 1595
kaolinite, 60(3): 529
standardization, 60(17): 3359
water, San Francisco Bay, 60(3): 455
water, St. Lawrence River System, Canada, 60(5): 851
Hydrothermal fluids
Ag^+, aquated, 60(13): 2273
Al, speciation, 60(23): 4601
alteration, rhyolite, effect of CO_2, 60(30): 3859
As(III) hydroxide complexes, 60(5): 737
complexation, Au^+ with HS^-, 60(11): 1849
H, isotope fractionation, 60(9): 1595
isotope exchange, water-rock interaction, model, 60(20): 3933
effect on magma, subduction zones, 60(4): 587
Pd, chloride complexes, 60(10): 1683
plume particles, East Pacific Rise, 60(13): 2297
phosphate removal, seawater, 60(19): 3593
Pt, chloride complexes, 60(10): 1683
REE, metasomatic xenoliths, Dish Hill, California, 60(11): 1933
solubility rhodochrosite, 60(21): 3983
stability, Nd chloride complexes, 60(23): 4615
Strange Lake, peralkaline complex, Quebec/Labrador, 60(11): 1917

I

Idaho, U.S.A.
Belt Supergroup, geochemistry, 60(4): 667
Illite
formation, stability, 60(11): 1873
solubility, 60(11): 1873
sorption, Cs, 60(21): 4059
transformation, smectite-illite, 60(3): 439
Ilmenite
magma formation, Moon, 60(18): 3521
reduction, aqueous transition metals, 60(20): 3799
India
Dharwar craton, Kushtagi schist belt, iron formation, 60(17): 3285
Infrared spectroscopy
adularia, 60(21): 4075
calcite, ^{18}O-substituted, 60(18): 3471

Iodine
volcanic soil, 60(24): 4945
Ion microprobe
S, isotope composition, Nisku Formation, Alberta, 60(2): 325
Iridium
chondrites, carbonaceous, 60(17): 3354
iron meteorite, 60(15): 2891
K-T boundary layer, Gubbio, Italy, 60(24): 5133
marine sediment, 60(17): 3189
partitioning, metal-silicate, 60(7): 1195
partitioning, solid-liquid sulfide, 60(7): 1231
partitioning, sulfide liquid-basalt, 60(13): 2397
xenoliths, Dish Hill, California, 60(11): 1935
Iron
concentration, distribution, seawater, Atlantic Ocean, 60(15): 2729
Cr, goethite, hematite, 60(21): 4279
diagenesis, marine sediment, Peru Margin, 60(15): 2777
Malmberget, Sweden, iron ore, 60(11): 1951
enthalpy, mixing $(Fe,Mg)CO_3$, 60(22): 4377
organic complexes, porewater, salt marsh, 60(6): 951
schwertmannite, acid sulfate waters, 60(12): 2111
smythite (Fe_9S_{11}), origin, 60(19): 3581
sorption, metal ions, oxyhydroxide, 60(3): 387
sorption, organic compounds, iron oxide, 60(11): 1943
sorption, organic matter, iron oxide, 60(16): 2977
V, goethite, hematite, 60(21): 4279
Iron formation
O, isotope composition, 60(17): 3285
origin, 60(17): 3285
trace elements, 60(17): 3285
REE, 60(17): 3285
Israel
Dead Sea, brine, age and formation, 60(11): 1909
Soreq cave, speleothems, isotope composition, C and O, 60(2): 337
Tamarix jordanis, isotope composition, C and O, 60(17): 3305
Isua, West Greenland
NH_4^+, supracrustal rocks, 60(12): 2173
Italy
Gubbio, K-T boundary layer, 60(24): 5133
volcanoes, 60(21): 4151

J

Japan
Re-Os dating, ore deposits, 60(16): 3151
Jarosite
solubility, Cr analog, 60(20): 3815
solubility, 4 to 35°C, 60(2): 185

K

K-T boundary
charcoal, firestorm, megawave, 60(4): 719, 721
platinum group metals, Gubbio, Italy, 60(12): 5133
REE geochemistry, oceans, 60(6): 973
release, SO_2 and CO_2, 60(6): 973
Kakangari, chondrites
O, isotope composition, 60(21): 4253
Kamchatka, Russia
xenoliths, mantle enrichment, 60(7): 1217
Kaolinite
Gibbs free energy of formation, 60(4): 553
H, isotope fractionation, water, 60(3): 529
H, isotope fractionation factor, 60(13): 2441
O, isotope fractionation, hydroxyl-nonhydroxyl sites, 60(3): 469
solubility, 60 to 170°C, 60(4): 553
sorption, Cs, 60(21): 4059
Kerogen
S, mudrocks, Jurassic, 60(21): 4181
Kinetics
calcite precipitation, effect, dissolved organic matter, 60(15): 2765
chemical weathering, granitic alluvium, 60(14): 2533
dissolution, brucite, 60(24): 5055
dissolution, calcite, 60(18): 3375; 60(23): 4883
dissolution, feldspar, 60(16): 2939
dissolution, hornblende, 60(6): 941
dissolution, K-montmorillonite, 60(6): 921
dissolution, mica minerals, low pH, 60(3): 367
dissolution, quartz, ab initio calculation, 60(13): 2283
evaporation, forsterite, 60(8): 1445
N aggregation, diamonds, 60(23): 4725
oxidation, basaltic glass, 60(17): 3259
oxidation, Co and Mn, seawater, 60(18): 3418
reaction, silicate iron-HS^- dissolved, sediment, Peru margin, 60(15): 2777
recrystallization, dolomite, 60(12): 2195
three-site ordering, crystals, 60(12): 2075
transformation, smectite-illite, 60(3): 439
Krypton
chondrite meteorites, Hf/Cl residues, 60(17): 3319

L

Lagoon
C cycle, thermodynamic stability, 60(19): 3569
Lakes
Lahontan, Nevada, age, carbonates, 60(15): 2817
model, diagenesis, sediment, 60(13): 2333
Lamprophyre
Abitibi belt, Canada, REE, trace elements, 60(22): 4551
partition coefficients, trace elements, cpx and phlogopite, 60(4): 629
Laser
ablation, zircon, monazite, 60(24): 5063
stable isotope analysis, in situ, 60(15): 2909
Lead
diffusion, rhyolite melt, 60(8): 1387
Gibbs free energy of formation, Pb oxalate, 60(8): 1283
Pb^{2+}, sorption, alpha alumina, 60(18): 3541
Lead, isotope composition
apatite, iron ore, Malmberget, Sweden, 60(11): 1957
basalt, Mariana trough, 60(12): 2159
basalt, Vietnam, 60(22): 4334
basalt, Yemen, 60(14): 2562
clinopyroxene, 60(21): 4243
manganese nodules, pre-anthropogenic Pb, 60(24): 4957
monazite, Brazil, 60(24): 5063
monazite, iron ore, Malmberget, Sweden, 60(11): 1955
olivine, 60(21): 4243
ore, Sudbury, Ontario, 60(9): 1609
orthopyroxene, 60(21): 4243
pyroxene, peridotite xenoliths, 60(17): 3241
spinel, 60(21): 4243
stilbite, iron ore, Malmberget, Sweden, 60(11): 1957
volcanic rocks, Grenada, Lesser Antilles, 60(23): 4785
zircon, Brazil, 60(24): 5063
Pb-Pb method of dating
zircon, Brazil, 60(24): 5063
^{210}Pb
sediment, Amazon continental shelf, 60(12): 2123
Lesser Antilles
Grenada, petrogenesis, volcanic rocks, 60(23): 4785
Lherzolite
partitioning, trace elements, apatite, cpx, amphibole-melt, 60(3): 423
Limestone
Belt Supergroup, isotope geochemistry, 60(4): 667
Lithium
foraminiferal shells, 60(5): 914
Li, isotope composition
determination, natural samples, 60(5): 909
foraminiferal shells, 60(5): 914
Lutetium
granite, crustal, 60(19): 3723

M

Maar lake
Laacher See, Germany, noble gases, 60(1): 31
Mackinawite (Fe_9S_8)
pyrite, formation, 60(21): 4167
Magma
chemical composition, parental magma, 60(4): 577
composition, Late Archean, 60(22): 4551
contamination, model, 60(11): 2049
evolution, Duluth Gabbro, 60(24): 4997
mare basalt, Moon, 60(18): 3521
model, batch melting, 60(8): 1355
norite, Moon, inferred composition, 60(20): 3973
origin, subduction zones, role of hydrothermal fluids, 60(4): 587
oxidation state, dissolved water, effect, 60(12): 2179

partial melting, constraints, 60(4): 711
solubility, U, granitic magma, 60(9): 1515
Magnesium
corals, 60(18): 3469
enthalpy, mixing (Mg,Fe)CO_3, 60(22): 4377
foraminiferal calcite, temperature indicator, 60(5): 803
MgO-SiO_2 system, modeling, molecular dynamics, 60(10): 1645
mineral stability, model, MgO-FeOSiO_2, 60(13): 2379
selfdiffusion, haplobasaltic melt, 60(8): 1329
Magnetite
Martian meteorite, ALH84001, 60(24): 5149
reduction, aqueous transition metals, 60(20): 3799
Manganese
marine sediment, Baltic Sea, 60(8): 1399
model, vertical profile, Pacific Ocean, 60(8): 1291
oxidation, microbial, seawater, 60(18): 3415
rhodochrosite, solubility, ion speciation, hydrothermal, 60(21): 3983
sorption, metal ions, oxyhydroxides, 60(3): 387
stability, chloride complexes, 60(22): 4295
Manganese nodules, marine
ferromanganese crust, hydrogenetic, marine, 60(10): 1709
Pb, isotope composition, 60(24): 4957
Mantle
enrichment, Kamachatka, 60(7): 1217
fluids, peridotite xenoliths, 60(17): 3229
magma source composition, Late Archean, 60(22): 4551
Mariana trough, basalt, petrogenesis, 60(12): 2153
melting, lower mantle, 60(7): 1109
metasomatism, hydrous, 60(8): 1367
mineral stability, model, MgO-FeO-SiO_2, 60(13): 2379
noble gases, xenolith, Hawaii, 60(23): 4773
oxidation state, Simcoe volcano, Washington, 60(10): 1739
ultramafic lenses, Swiss Alps, 60(14): 2583
Mariana trough
basalt, petrogenesis, 60(12): 2153
Mars
ALH84001, meteorite, magnetite, 60(24): 5149
ALH 84001, S, isotope systematics, 60(15): 2921
petrogenesis, basaltic magma, QUE94201, 60(22): 4563
Massachusetts, USA
sediment, Cape Cod bays, 60(15): 2753
Mediterranean Sea
sapropel, oxidation, 60(21): 4007
sapropel, pyritization, 60(5): 751
organic matter, sediment traps, 60(7): 1239
Melt, silicate
Al, effect on silicate network, 60(10): 1727
albite-water, 60(1): 59
chondrite meteorites, experimental, 60(3): 539, 543
compressibility, CaO-Al_2O_3-SiO_2, 60(1): 75
diffusion, multicomponent, 60(24): 5021
diffusion, Sr, Nd, Pb, rhyolite melt, 60(8): 1387
expansivity, thermal, 60(24): 4989
inclusion, tin-bearing rhyolite, Mexico, 60(17): 3267
O, isotope fractionation, CO_2, 60(11): 1963
P, structural role, 60(21): 4107
P_2O_5, effect on viscosity, 60(21): 4107
partitioning, trace elements, siderophile, metal-silicate melt, 60(12): 2257
S, abundance, alkaline melt, 60(21): 4151
selfdiffusion, CaO-Al_2O_3-SiO_2, 60(22): 4353
selfdiffusion, Mg, Ca, Ba, Nd, Yb, Ti, Zr, U, 60(8): 1329
selfdiffusion, Si and O, basaltic melt, 60(3): 405
solubility, Co, effect of FeO, 60(7): 1181
solubility, Ni, effect of FeO, 60(7): 1181
solubility, SnO_2,effect of fO_2 and melt composition, 60(24): 4965
solubility, W, haplobasaltic melt, 60(7): 1171
structure, $K_2Si_4O_9$-$K_2(KAl)_4O_9$ join, high temperature, 60(19): 3665
thermal conductivity, $CaNa_4Si_3O_9$, 60(2): 355
thermal conductivity, Na_2SiO_3, 60(2): 355
thermodynamic properties, 60(13): 2365
Ti^{4+}, coordination chemistry, 60(16): 3023, 3039, 3055
Ti^{4+}, structure of melt, 60(21): 4123
water, effect on oxidation state, 60(12): 2179
Melt, oxide
oxide melts, glass forming, 60(3): 535, 537
Mercury
Gibbs free energy of formation, Hg oxalate, 60(8): 1283
Metamictization
zircon, microscale, 60(6): 1091
Metamorphism
O, isotope exchange, fluid-rock, 60(18): 3487
isotope exchange, model, water-rock interaction, 60(20): 3933
redistribution, REE, apatite, monazite, 60(8): 1341
schist, Connecticut, 60(18): 3487
Meteorites
Acapulcoites, O, isotope composition, 60(11): 2006
achondrites, petrology, geochemistry, chronology, origin, 60(5): 867
ALH84001, magnetite, 60(24): 5149
ALH84001, S, isotope systematics, 60(15): 2921
Allende, AF clast, microtexture, 60(14): 2651
Allende, carbonaceous chondrite, evaporation, 60(11): 1975
Allende, noble gases, 60(17): 3324
angrites, O, isotope composition, 60(11): 2003
B, isotope composition, 60(23): 4877
Caldera, eucrite, age, 60(23): 4889
chondrites, carbonaceous, alteration, 60(14): 2621
chondrites, carbonaceous, Rh, 60(17): 3353
chondrites, CI, carbonates, 60(3): 489
chondrites, FeO-rich chondrules, 60(16): 3115
chondrites, L, metal phases, 60(14): 2667
chondrites, noble gases, 60(17): 3311
chondrules, crystallization, 60(12): 2233
chondrules, FeO-rich, chondrites, 60(16): 3115
classification, chondrites, compositional, 60(12): 2243
diamonds, presolar, 60(23): 4853
diogenites, O, isotope composition, 60(11): 2002
Efremovka, CAIs, ion microprobe study, 60(10): 1823
eucrites, O, isotope composition, 60(11): 2002
eucrites, noncumulate, petrogenesis, 60(22): 4571
eucrites, Pu-Xe dating, 60(13): 2453
extraterrestrial matter, accretion, marine sediment, 60(17): 3187
flux, to the Earth, 60(11): 2053
HAL-type inclusions, 60(11): 1975
iron IIIAB, O, isotope composition, 60(11): 2002
irons, Re-Os systematics, 60(15): 2887
irons, thermal history, 60(16): 3103
Kakangari, chondrite grouplet, O, isotope composition, 60(21): 4253
Lodranites, O, isotope composition, 60(11): 2006
Lost City (H), partial melting, 60(3): 539, 543
mesosiderites, thermal and shock history, 60(14): 2609
mesosiderites, O, isotope composition, 60(11): 2003
Mokoia, CV3 chondrite, petrography, origin, 60(21): 4265
Monument Draw, petrology, chemical and isotopic composition, 60(14): 2681
Murchison, circumstellar grains, 60(5): 883
Murchison, noble gases, 60(17): 3324
O, isotope composition, achondrites, 60(11): 1999
pallasites, O, isotope composition, 60(11): 2003
parent body, core crystallization, 60(9): 1615
parent body, mesosiderites, thermal and shock alteration, 60(14): 2609
partitioning, trace elements, siderophile, metal-melt, 60(12): 2257
Petersburg, eucrite, petrology, 60(1): 135
petrogenesis, basaltic meteorites, 60(1): 147
QUE94201, shergottite, petrogenesis, 60(22): 4563
R chondrite group, 60(12): 2243
SNC, ALH84001, S, isotope systematics, 60(15): 2921

SNC, O isotope composition, 60(14):2635
SNC, H, isotope geochemistry, 60(14): 2635
St. Severin, (LL), partial melting, 60(3): 539, 543
stony-irons, thermal history, 60(16): 3103
ureilites, O, isotope composition, 60(11): 2007
ureilites, noble gases, 60(17): 3324
weathering, chondrites, desert, 60(11): 2053
Meteorite impact
impact glass, Onaping Formation, Sudbury, Ontario, 60(11): 2019
survival, organic compounds, 60(2): 349
Methane
budget, seawater, continental shelf, Gulf of Mexico, 60(23): 4735
C, isotope composition, marine sediment, 60(20): 3835
phase relations, CH_4-H_2O-NaCl system, 60(11): 1885
Mexico
tin-bearing rhyolites, 60(17): 3267
volcanic belt, B/Be ratios, 60(4): 613
Michigan, USA
St. Peter Sandstone, O, isotope composition, 60(24): 5107
Minnesota, U.S.A.
Duluth Gabbro, petrogenesis, 60(24): 4997
Modeling
chemical flux, estuaries, effect of recycling traps, 60(17): 3178
clathrates, H_2O-CO_2 system, 60(10): 1657
contamination, magma, 60(11): 2049
convective flow, water, basalt, Polynesia, 60(12): 2087
cooling history, leucogranite, Massif Central, France, 60(23): 4673
crystal size distribution, 60(20): 3904
diagenesis, coastal marine sediment, 60(16): 2993
diagenesis, lake sediment, 60(13): 2333
diffusion, Ar, metamorphism, 60(6): 1082
dissolution kinetics, quartz, quantum mechanical, 60(13): 2283
early diagenesis, mineralization, C, O_2, and N_2, 60(6): 1019
effect, alpha stopping, U-He dates, 60(21): 4229
equation of state, mixture, supercritical fluids, 60(7): 1209
equilibrium constant, single-site protonation, oxides and silicates in water, 60(20): 3773
fractionation, isotopic, O_2 and N_2, soil gases, 60(6): 1005
geochemical codes, propagation of uncertainty, 60(1): 3551
Gibbs free energy minimization, MgO-FeO-SiO_2, 60(13): 2379
isotope exchange, water-rock interaction, 60(20): 3933
kinetics, oxidation, basaltic glass, 60(17): 3259
mass transfer, bauxite formation, 60(24): 4913
Mn distribution, Pacific Ocean, 60(8): 1291
molecular dynamics, MgO-SiO_2 system, 60(10): 1645
molecular orbital models, Al acetate complexes, 60(24): 4897
molecular statics, goethite, hematite, 60(9): 1553
ordering, three sites, crystals, 60(12): 2075
oscillatory concentrations, Si and Al, chemical weathering, aluminosilicate minerals, 60(15): 2901
Ostwald ripening, metamorphic rocks, 60(2): 277
parental magma, determination, from melt, 60(4): 577
partial melting, constraints, magma formation, 60(4): 711
partitioning, trace elements, mineral-melt, 60(24): 4977
petrogenesis, trace elements, Calatrava, Spain, 60(8): 1355
potentiometric titration, glauconite, 60(18): 3363
proton binding, goethite, 60(9): 1563
retention, Ar and O, hornblende, 60(19): 3687
thermal annealing, fission tracks, apatite, 60(24): 5117
tortuosity, sediment, 60(16): 3139
trace elements, surface enrichment, uptake, crystal growth, 60(24): 5013
transport, ^{137}Cs, sediment, 60(6): 995
U, uptake, archaeological bone, 60(12): 2140
Mokoia, CV3 chondrite
petrography, origin, 60(21): 4265
REE, 60(21): 4271
trace elements, minerals, 60(21): 4271
Molybdenite
Re-Os dating, 60(16): 3151
Molybdenum
groundwater, Great Basin, USA, 60(17): 3197
seawater, removal, 60(19): 3631
Monazite
Pb-Pb dating, Brazil, 60(24): 5063
REE, orthogneiss, Norway, 60(8): 1341
Moon
amino acids, soil, Apollo 17, 60(2): 349
B, isotope composition, 60(23): 4877
compressibility, high-Ti glass, 60(14): 2709
core, formation, 60(7): 1205
dissolution kinetics, glass, 60(1): 157
magma formation, role of ilmenite, 60(18): 3521
mantle, density inversion, 60(14): 2709
norite, Mg-suite, plagioclase and opx, 60(20): 3967
petrogenesis, basalt, 60(3): 509
petrogenesis, norite, 60(20): 3967
picrite magma, very low Ti, 60(3): 509
picritic glasses, Nb, Zr, Ce, 60(18): 3521
spherule, Apollo 15, 60(4): 693
^{126}Xe, origin, 60(22): 4593
Montana, USA
Belt Supergroup, geochemistry, 60(4): 667
Montmorillonite
dehydration, $CaCl_2$-H_2O brine, 60(12): 2167
dissolution kinetics, 60(6): 921
Morocco
Beni Bonsera, ultramafic complex, 60(8): 1429
Murchison, carbonaceous chondrite
nitride grains, circumstellar origin, 60(5): 883
SiC grains, circumstellar origin, 60(5): 883
Muscovite
dissolution kinetics, 60(3): 367
H, isotope fractionation factor, 60(13): 2442
O, isotope fractionation, 60(14): 2595
stability, 5.5 to 11 GPa, 60(21): 4133

N

Namibia
Okenyenyea, igneous complex, petrogenesis, 60(22): 4497
Natural gas
sulfate reduction, effect on isotope composition, O, carbonates, 60(20): 3925
sulfate reduction, effect on salinity of formation water, 60(20): 3925
Neodymium
chondrites, carbonaneous, 60(17): 3354
diffusion, rhyolite melt, 60(8): 1387
granite, crustal, 60(19): 3723
selfdiffusion, haplobasaltic melt, 60(8): 1329
soil, Barbados, 60(21): 4195
stability, chloride complexes, 60(23): 4615
Nd, isotope composition
anorthosite, Laramie Range, Wyoming, 60(1): 95
basalt, Mariana trough, 60(12): 2159
basalt, Vietnam, 60(22): 4334
basalt, Yemen, 60(14): 2562
cpx, lamprophyre, Abitibi belt, Canada, 60(22): 4557
granite, Precambrian, crustal, 60(19): 3717
Lewisian gneiss, Scotland, 60(16): 3092
norite, Sudbury, Ontario, 60(9): 1608
pyroxene, peridotite xenoliths, 60(17): 3241
pyroxenite, Beni Bousera, ultramafic complex, Morocco, 60(8): 1429
soil, Barbados, 60(21): 4193
ultramafic rocks, 60(22): 4537
ultramafic rocks, Swiss Alps, 60(14): 2583
volcanic rocks, Grenada, Lesser Antilles, 60(23): 4785
Neon
chondrite meteorites, HF/Cl residues, 60(17): 3314
Laacher See, maar, Germany, 60(1): 31
Lake Baikal, Russia, 60(6): 967
Magnus oilfield, North Sea, 60(5): 831
Neptunium
complexation, carbonate, 60(12): 2065
solubility, NpO_2^+
Neutron activation
glass, experimental, 60(7): 1195
Nevada, USA
groundwater, Great Basin, Re, Mo, U, 60(17): 3198
Lake Lahontan, age, carbonates, 60(15): 2817

Yucca Mountain, calcite, compositions, 60(22): 4417
Newfoundland, Canada
lamprophyre, trace element partitioning, 60(4): 629
Nickel
iron meteorites, 60(15): 2891
partitioning, solid-liquid sulfide, 60(7): 1231
solubility, silicate melt, 60(7): 1181
solubility, NiO, bunsenite, 60(2): 213
xenoliths, Dish Hill, California, 60(11): 1935
Niobium
mantle, lithospheric, 60(3): 545
picritic glass, lunar, 60(18): 3521
Nitrogen
diamonds, aggregation kinetics, 60(23): 4725
Nitrogen, isotope composition
bones, climate, 60(21): 4161
shale, marine, 60(9): 1580
Noble gases
chondrite meteorites, 60(17): 3311
Laacher See, Germany, fluxes, isotope ratios, 60(1): 31
Lake Baikal, eastern Siberia, Russia, 60(6): 961
Magnus oilfield, East Shetland Basin, North Sea, 60(5): 831
sulfide minerals, East Pacific Rise, 60(1): 87
^{126}Xe, production, proton irradiation, Te, 60(22): 4593
xenolith, mantle-derived, Hawaii, 60(23): 4773
North Sea
Magnus oilfield, noble gases, 60(5): 831
Norway
orthogneiss, REE redistribution, 60(8): 1341
Norwegian Sea
fallout, Chernobyl, 60(18): 3425
Nuclear Magnetic Resonance
interaction, clay-water, 60(2): 265
sorption, Cs, clay minerals, 60(6): 1041
sorption, Cs, illite, kaolinite, 60(21): 4059

O

Olivine
evaporation, forsterite, 60(8): 1445
parental magma, fractionation, 60(4): 577
Ontario, Canada
Sudbury, Ni ores, sources, 60(9): 1605
Opal
O, isotope composition, phytoliths, 60(20): 3949
Ore deposits
Au, supergene enrichment, goethite, ferrihydrite, 60(9): 1531
Bou Grine, Zn-Pb deposit, Tunisia, 60(15): 2833
gold-quartz veins, origin, Spain and Portugal, 60(1): 43
Malmberget, iron ore, Sweden, U-Pb dating, 60(11): 1951
mineralization, leucogranite, Massif Central, France, 60(23): 4653
Mississippi Valley-tye Pb-Zn deposits, fluid inclusions, 60(2): 225
quartz veins, origin, Dartmoor granite, England, 60(4): 653
Re-Os dating, molybdenite, Japan, 60(16): 3151
Strange Lake, peralkaline complex, Quebec/Labrador, 60(11): 1917
Sudbury, Ontario, sources of ore, 60(9): 1605
tourmaline, B, isotope composition, 60(8): 1415
U, Cahill Formation, schist, Northern Territory, Australia, 60(10): 1695
Organic compounds
alkenones, long chain, Qinghai Lake sediment, China, 60(2): 235
amino acids, lunar soil, Apollo 17, 60(2): 349
citrate, sorption, corundum, 60(16): 2929
hydrocarbons, isohexyl alkyl-aromatic, biomarkes, 60(23): 4747
hydroxamate, effect on dissolution, goethite, 60(22): 4403
isorenieratene, 60(22): 4467
lipids, degradation, marine, sediment, 60(10): 1793
maleimides, anoxigenic photosynthesis, 60(20): 3913
phytane, marine sediment, origin, 60(6): 1065
polyethers, marine sediment, 60(7): 1275
sorption, Fe oxide, 60(11): 1943
sorption, goethite, 60(24): 5045
sorption, goethite, o-phthalate, 60(22): 4385
sterylchlorin esters, origin, 60(12): 2265
Organic matter
degradation, Fe^{3+}/SO_4^{2-} redox interface, 60(17): 3169
diagenesis, marine sediment, coastal environment, 60(19): 3619
lipids, degradation, near sediment-water interface, 60(10): 1793
macromolecular, sediment traps, Mediterranean Sea, 60(7): 1239
preservation, marine sediment, 60(9): 1577
sapropel, oxidation, eastern Mediterranean Sea, 60(21): 4007
sorption, metal ions, 60(14): 2503
sorption, iron oxide, transport, 60(16): 2977
Osmium
chondrites, carbonaceous, 60(17): 3354
marine sediment, 60(17): 3189
marine sediment, Cape Cod bays, 60(15): 2753
marine sediment, extraterrestrial matter, accretion, 60(17): 3187
partitioning, sulfide liquid-basalt, 60(13): 2397
sewage, Boston, 60(15): 2755
spinel lherzolite, 60(21): 4245
Osmium, isotope composition
iron meteorites, 60(15): 2887
pyroxenite, Beni Bousera, ultramafic complex, Morocco, 60(8): 1429
sewage, Boston, Massachusetts, 60(15): 2753
spinel lherzolite, xenolith, Yukon, Canada, 60(21): 4245
ultramafic rocks, Swiss Alps, 60(14): 2583
xenoliths, Dish Hill, California, 60(11): 1935
Ostracods
O, isotope composition, temperature record, central Europe, 60(21): 4025
Ostwald ripening
metamorphic rocks, modeling, 60(2): 277
Oxygen
consumption, dissolved O_2, Amazon River, 60(10): 1783
partial pressure, atmosphere, Phanerozoic, 60(22): 4397
selfdiffusion, basaltic liquid, 60(3): 405
retention, hornblende, effect of chemical composition, 60(19): 3687
Oxygen, isotope composition
achondrites, 60(11): 2000
angrites, 60(11): 2003
animals, diet, physiological adaptation, 60(23): 4811
basalt, quartz-bearing, 60(23): 4765
biotite, Okenyenya igenous complex, Namibia, 60(22): 4500
brine, Oak Ridge, Tennessee, 60(5): 787
calcite cement, marine, 60(13): 2427
carbonate rocks, Belt Supergroup, Montana and Idaho, 60(4): 667
cellulose, Tamarix jordanis, Israel, 60(17): 3305
clay minerals, bentonite, 60(21): 4285
corals, scleractinian, 60(15): 2857
corals, relation to Sr/Ca, 60(16): 3076
diogenites, 60(11): 2002
dolomite, reservoir, natural gas, 60(20): 3925
eucrites, 60(11): 2002
feldspar, Okenyenya igneous complex, Namibia, 60(22): 4500
foraminifera, planktonic, 60(22): 4517
groundwater, Florida, 60(24): 5075
hematite, iron formation, Archean, India, 60(17): 3291
howardites, 60(11): 2002
Kakangari, chondrite meteorites, 60(21): 4253
kaolinite, hydroxyl and nonhydroxyl sites, 60(3): 469
mesosiderites, 60(11): 2003
mudrocks, 60(17): 3347
Mytilus edulis, San Francisco Bay, 60(3): 455
olivine, pyroxene xenoliths, 60(17): 3242
opal phytoliths, 60(20): 3949
ostracods, lacustrine sediment, Ammersee, Germany, 60(21): 4025
pallasites, 60(11): 2003
pyroxene, Okenyenya igneous complex, Namibia, 60(22): 4497
pyroxene, peridotite xenoliths, 60(17): 3242
quartz, iron formation, Archean, India, 60(17): 3291
quartz, St. Peter Sandstone, Michigan, 60(24): 5107
quartz, veins, pelitic schist, 60(18): 3493
speleothems, eastern Mediterranian, 60(2): 337
standardization, 60(17): 3359
teeth, herbivore, effect of diet and physiology, 60(20): 3889
tektites, 60(11): 2001

volcanic rocks, Lesser Antilles, 60(23): 4785
water, San Francisco Bay, 60(3): 455

P

Pacific Ocean
biogenic sediment, excess Al, 60(20): 3869
East Pacific Rise, hydrothermal plume, 60(13): 2297
ferromanganese crusts, partitioning, Y, REE, Ti, 60(10): 1709
Mariana trough, basalt, petrogenesis, 60(12): 2153
Mn distribution, vertical profile, 60(8): 1291
Mururoa, French Polynesia, basalt, convective flow, water, 60(12): 2087
P, geochemistry, marine sediment, 60(9): 1479
Palladium
geochemistry, hydrothermal, chloride complexes, 60(10): 1683
K-T boundary layer, Gubbio, Italy, 60(24): 5133
partitioning, solid-liquid sulfide, 60(7): 1231
partitioning, sulfide liquid-basalt, 60(13): 2397
Pd-PdO buffer, calibration, 60(14): 2487
PdO, Gibbs free energy of formation, 60(14): 2487
PdO, heat capacity, 60(14): 2487
xenoliths, Dish Hill, California, 60(11): 1935
Parent bodies, meteorite
aqueous alteration, CV chondrites, 60(14): 2651
core, crystallization, 60(9): 1615
evolution, CI chondrites, carbonates, 60(3): 489
fragmentation, reaccretion, 60(16): 3103
mesosiderites, thermal and shock history, 60(14): 2609
metal grains, L chondrites, evolution, 60(14): 2667
thermal metamorphism, CV chondrites, 60(14): 2651
Partition coefficients
REE, zircon-rock, 60(13): 2358
Partitioning
Au, sulfide liquid-basalt, 60(13): 2397
Ba^{2+}, calcite, 60(6): 53
Cd^{2+}, calcite, 60(6): 53
Cu, solid-liquid sulfide, 60(7): 1231
Ir, metal-silicate, 60(7): 1195
Ir, solid-liquid sulfide, 60(7): 1231
Ir, sulfide liquid-basalt, 60(13): 2397
Ni, solid-liquid sulfide, 60(7): 1231
Os, sulfide liquid-basalt, 60(13): 2397
Pd, solid-liquid sulfide, 60(7): 1231
Pd, sulfide liquid-basalt, 60(13): 2397
Pt, solid-liquid sulfide, 60(7): 1231
Pt, sulfide liquid-basalt, 60(13): 2397
REE, cpx-melt, 60(2): 359
REE, ferromanganese crust-seawater, 60(10): 1709
Rh, solid-liquid sulfide, 60(7): 1231
Ru, sulfide liquid-basalt, 60(13): 2397
Sr^{2+}, calcite, 60(6): 53
Ti, ferromanganese crust-seawater, 60(10): 1709
trace elements, amphibole-melt, spinel lherzolite, 60(3): 423
trace elements, apatite-melt, spinel lherzolite, 60(3): 423
trace elements, basaltic meteorites, 60(1): 147
trace elements, cpx-lamprophyre melt, 60(4): 629
trace elements, cpx-melt, spinel lherzolite, 60(3): 423
trace elements, mineral-melt, computer simulation, 60(24): 4977
trace elements, phlogopite-lamprophyre melt, 60(4): 629
trace elements, siderophile elements, metal-silicate, 60(12): 2257
U, fluid-granitic melt, 60(9): 1515
Y, ferromanganese crust-seawater, 60(10): 1709
Pegmatite
fluid inclusions, boric acid, 60(18): 3435
Pelecypods
Ba profiles, Mercenaria, Spisula, 60(18): 3445
O, isotope composition, San Francisco Bay, 60(3): 455
Sr profiles, Mercenaria, Spisula, 60(18): 3445
Sr/Ca, Mytilus trossulus, 60(21): 4207
$^{234}U/^{238}U$ profiles, Mercenaria, 60(1): 3735
Periclase
equation of state, 60(10): 1645
Peridotite
lherzolite, Yemen, 60(3): 423
Perovskite
equation of state, 60(10): 1645
Peru
coastal sediment, iron diagenesis, 60(15): 2777
Petersburg, eucrite
petrology, 60(1): 135
Petrogenesis
alkali basalt, zircon inclusions, corundum megacrysts, 60(13): 2347
alkaline melts, S, abundance, 60(21): 4151
anorthosite, Laramie Range, Wyoming, 60(1): 95
B/Be ratios, volcanic rocks, Mexico, 60(4): 613
basalt, crustal contamination, Yemen, 60(14): 2559
basalt, lunar, 60(3): 509
basalt, Mariana trough, 60(12): 2153
basalt, Vietnam, 60(22): 4329
basalt, quartz-bearing, crustal contamination, 60(23): 4765
Duluth Gabbro, Minnesota, 60(24): 4997
eucrite, meteorites, 60(22): 4571
intraplate lavas, B geochemistry, 60(3): 415
Lewisian gneiss, Scotland, 60(16): 3097
lunar norite, 60(20): 3967
magma formation, subduction zones, effect of hydrothermal fluids, 60(4): 587
meteorites, basaltic, 60(1): 147
Okenyenya igneous complex, O, isotope composition, Namibia, 60(22): 4497
parental magma, determination of, basalt, 60(4): 577
partial melting, constraints, magma formation, 60(4): 711
rhyolite, tin-bearing, Mexico, 60(17): 3267
spherule, lunar, Apollo 15, 60(4): 693
Strange Lake, peralkaline complex, Quebec/Labrador, 60(11): 1917
volcanic rocks, Calatrava, Spain, 60(8): 1355
volcanic rocks, Grenada, Lesser Antilles, 60(23): 4785
volcanic rocks, Kamchatka, 60(7): 1217
Petroleum
noble gases, Magnus oilfield, North Sea, 60(5): 831
Phlogopite
dissolution kinetics, 60(3): 367
O, isotope fractionation, 60(14): 2595
partitioning, trace element, lamprophyre melt, 60(4): 629
Phosphate
isotope analysis, laser, 60(15): 2909
REE, coprecipitation, 60(17): 3341
removal from seawater, hydrothermal processes, 60(19): 3593
sorption, goethite, 60(22): 4385
Phosphorus
Au, in vitro product, 60(22): 4369
budget, oceans, 60(19): 3593
geochemistry, marine sediment, equatorial Pacific, 60(9): 1479
hydrothermal plume, East Pacific Rise, 60(13): 2297
viscosity, silicate melt, 60(21): 4107
Photochemistry
consumption, DOC, dissolved O_2, Amazon River, 60(10): 1783
Phytane
origin, marine sediment, 60(6): 1065
Phytolith
O, isotope composition, opal, 60(20): 3949
Pitzer parameters
solubility, Np(V), 60(12): 2066
Plagioclase
dissolution rate, acidic and organic solutions, 60(16): 2939
lunar norites, geochemical study, 60(20): 3967
Plants
desert shrubs, S, isotope composition, Death Valley, California, 60(16): 3015
effect on weathering rates, 60(4): 723, 725
phytoliths, O, isotope composition, 60(20): 3949
Tamarix jordanis, O, isotope composition, cellulose, 60(17): 3305
tree rings, S, isotope composition, Death Valley, California, 60(16): 3015
Platinum
catalyst, CO_2-H_2 mixtures, 60(15): 2917
chondrites, carbonaceous, 60(17): 3354
geochemistry, hydrothermal, chloride complexes, 60(10): 1683
K-T boundary layer, Gubbio, Italy, 60(24): 5133
partitioning, solid-liquid sulfide, 60(7): 1231
partitioning, sulfide liquid-basalt, 60(13): 2397
xenoliths, Dish Hill, California, 60(11): 1935

Porewater
Fe^{3+}/SO_4^{2-} redox interface, 60(17): 3169
saltmarsh, organic Fe complexes, 60(6): 951
Polonium
mobilization, bacterial, groundwater, Florida, 60(22): 4321
Polynesia
Muroroa, flow model, water, 60(12): 2087
Porewater
eutrophic lake, geochemical processes, 60(13): 2333
HS^-, dissolved, Peru Margin, 60(15): 2777
pH, authigenic phases, Santa Barbara basin, California, 60(21): 4037
Portugal
gold-quartz veins, origin, 60(1): 43
Potassium
isotope composition, Efremovka, 60(10): 1823
K, isotope composition
fractionation, solar nebula, 60(19): 3755
Pu-Xe dating
eucrite meteorites, 60(13): 2453
Pyrite
formation, from mackinawite (Fe_9S_8) and greigite (Fe_3S_4), 60(21): 4167
formation, S isotope composition, sediment, Black Sea, 60(7): 1261
framboidal, modern sediment, reducing, 60(20): 3897
pyritization, sapropel, Mediterranean, 60(5): 751
soil, reduced, metal sulfide, solubility, 60(19): 3609
Pyroxenite
isotope composition, Sr, Nd, Os, Beni Bousera, Morocco, 60(8): 1429

Q

Quartz
dating, thermoluminescence, 60(4): 565
dissolution kinetics, ab initio calculation, 60(13): 2283
fluid inclusions, U-Pb, Rb-Sr dating, 60(4): 653
O, isotope composition, iron formation, Archean, India, 60(17): 3291
O, isotope composition, St. Peter Sandstone, 60(24): 5107
sorption, Co^{2+}, 60(14): 2515

R

Radium
Ra quartet, salt marsh, 60(23): 4645
^{226}Ra
sedimentation rate, marine sediment, 60(22): 4313
Raman spectroscopy
As(III) hydroxide complexes, 60(5): 737
calcite, ^{18}O-substituted, 60(18): 3471
glasses, silicate, 60(19): 3667
structure, glass, SiO_2-$NaAlO_2$, 60(10): 1727
Rare Earth Elements
achondrite meteorites, 60(5): 870
Allende, carbonaceous chondrite, 60(11): 1986
amphibole, xenoliths, 60(8): 1372
apatite, 60(8): 1345
apatite, intracrystalline distribution, 60(22): 4435
basalt, Mariana trough, 60(12): 2158
basalt, Vietnam, 60(22): 4332
calcite, Yucca Mountain, 60(22): 4417
carbonates, marine, 60(6): 974
clinopyroxene, pyroxenite, Beni Bousera, Morocco, 60(8): 1437
clinopyroxene, xenoliths, 60(8): 1370
distribution, schist-regolith, Koongarra, Australia, 60(10): 1695
garnet, pyroxenite, Beni Bousera, Morocco, 60(8): 1437
glass, experimental, 60(7): 1198
iron formation, Archean, India, 60(17): 3287
lamprophyres, 60(22): 4522
Lewisian gneiss, Scotland, 60(16): 3089
melt inclusions, rhyolite, Mexico, 60(17): 3275
minerals, eucrites, noncumulate, 60(22): 4574
minerals, Mokoia, chondrite, 60(21): 4271
minerals, Monument Draw, acapulcoite meteorite, 60(14): 2692
minerals, ZUE94201, Martian meteorite, 60(22): 4567
orthogneiss, Norway, 60(8): 1344
oxidation, Ce^{3+} to Ce^{4+}, oceans, K/T boundary, 60(6): 973
partitioning, apatite, cpx, amphibole-melt, lherzolite, 60(3): 423
partitioning, cpx-lamprophyre melt, 60(4): 631
partitioning, cpx-melt, 60(2): 359
partitioning, ferromanganese crust-seawater, 60(10): 1709
partitioning, phlogopite-lamprophyre melt, 60(4): 631
plagioclase, lunar norite, 60(20): 3969
plagioclase, pyroxenite, Beni Bousera, Morocco, 60(8): 1437
redistribution, apatite, monazite, metamorphism, amphibolite to granulite, 60(8): 1341
seawater, coprecipitation, phosphate, 60(17): 3341
seawater, Pacific Ocean, 60(23): 4631
sediment, Lake Hoare, 60(5): 773
sediment, Zaire River, Zaire, 60(8): 1304
shale, Archean, Zimbabwe, 60(10): 1760
spherules, glassy, basalt, West Greenland, 60(5): 825
spherule, lunar, 60(4): 695
stability, Nd chloride complexes, 60(23): 4615
Strange Lake, peralkaline complex, Canada, 60(11): 1921
syenite, Abitibi belt, Canada, 60(22): 4552
ultramafic rocks, 60(22): 4537
ultramafic rocks, Swiss Alps, 60(14): 2583
volcanic rocks, alkali-rich, Calatrava, Spain, 60(8): 1359
volcanic rocks, Kamchatka, 60(7): 1224
xenoliths, Dish Hill, California, 60(11): 1936
zircon inclusions, corundum megacrysts, alkali basalt, 60(13): 2354
Remote sensing
analog study, sediment, Lake Hoare, Antarctica, 60(5): 765
Rhenium
chondrites, carbonaceous, 60(17): 3354
groundwater, Great Basin, USA, 60(17): 3197
iron meteorites, concentrations, 60(15): 2887
molybdenites, Japan, 60(16): 3154
spinel lherzolite, 60(21): 4245
Re-Os dating
iron meteorites, 60(15): 2887
molybdenite, ore deposits, Japan, 60(16): 3151
Rhodium
chondrites, carbonaceous, 60(17): 3353
partitioning, solid-liquid sulfide, 60(7): 1231
xenoliths, Dish Dill, California, 60(11): 1935
Rhodochrosite
solubility, hydrothermal, 60(21): 3983
Rhyolite
alteration, hydrothermal, CO_2 effect, 60(20): 3859
diffusion, Sr, Nd, Pb, 60(8): 1387
isotope fractionation, O, melt-CO_2, 60(11): 1963
tin-bearing, petrogenesis, 60(17): 3267
River water
Al, geochemistry, California, 60(8): 1323
chemical composition, Zaire River, 60(8): 1308
Ga, geochemistry, California, 60(8): 1323
Orinoco River, Colombia and Venezuela, 60(16): 2974
Suwannee River, transport, organic matter, sorption, iron oxide, 60(16): 2977
trace elements, sorption DOC, 60(19): 3643
Rubidium
corals, Thailand, 60(18): 3469
fluid inclusions, quartz vein, Dartmoor granite, England, 60(4): 653
Orinoco River, Columbia and Venezuela, 60(16): 2974
Rb-Sr dating
cryptomelane (K-Mn oxide), 60(12): 2219
fluid inclusion, quartz, Dartmoor granite, England, 60(4): 653
geochronology, metamorphic rocks, 60(20): 3933
Russia
basalt, Siberia, U-Pb dating, 60(18): 3505
Kamchatka, xenoliths, 60(7): 1217
Lake Baikal, Siberia, bottomwater formation, 60(6): 961
Ruthenium
chondrites, carbonaceous, 60(17): 3354
partitioning, sulfide liquid-basalt, 60(3): 2397
Rutile
O, isotope fractionation, 60(14): 2595
sorption, Co^{2+}, 60(14): 2515

Salinity
  formation water, reservoir, natural gas, 60(2): 3925
  San Francisco Bay, 60(3): 455
Salt domes
  Bahloul Formation, Tunisia, 60(15): 2833
Salt marsh
  input, groundwater, 60(23): 4645
  organic Fe complexes, porewater, 60(6): 951
  U, sink, 60(20): 3879
Samarium
  granite, crustal, 60(1): 3723
^{146}Sm-^{142}Nd systematics
  Early Archean rocks, crust-mantle evolution, 60(18): 3513, 3747, 3751
  presence of ^{146}Sm terrestrial, 60(11): 2037
Sm-Nd dating
  Caldera, eucrite, 60(23): 4889
  Early Archean rocks, crust-mantle evolution, 60(18): 3513
  garnet, role of inclusions, 60(1): 121
  geochronology, metamorphic rocks, 60(20): 3933
  Lewisian complex, Scotland, 60(16): 3085
Sanidine
  Sr, diffusion
Saponite
  interaction with water, NMR study, 60(2): 265
Sapropel
  oxidation, eastern Mediterranean Sea, 60(21): 4007
  pyritization, diagenetic, Mediterranean Sea, 60(5): 751
Schwertmannite
  acid sulfate waters, 60(12): 2111
Scotland
  Lewisian complex, Sm-Nd dating, 60(16): 3085
Seawater
  anoxia, photic zone, indicators, organic molecules, 60(22): 4467
  anoxygenic photosynthesis, maleimides, indicator, 60(20): 3913
  C, isotope composition, derived from calcite, Mytilus, 60(21): 4207
  Fe, concentration, distribution, Atlantic Ocean, 60(15): 2729
  flux estimates, estuaries, 60(17): 3177
  Hf, continental shelf, northeastern Atlantic, 60(21): 3995
  hydrothermal plume, East Pacific Rise, 60(13): 2297
  Mn distribution, vertical profile, North Pacific Ocean, 60(8) 1291
  Na-Ca-Cl relations, basinal brines, 60(15): 2743
  O, isotope composition, in late Proterozoic-Paleozoic time, 60(17): 3347
  oxidation, microbial, Co, Mn, 60(18): 3415
  Pb, isotope composition, Fe-Mn crusts, 60(24): 4957
  pCO_2, based on isotope composition, C, foram shells, 60(24): 5089
  phosphate, removal, hydrothermal processes, 60(19): 3593
  REE, Pacific Ocean, 60(23): 4631
  REE, phosphate coprecipitation, 60(17): 3341
  Sr, isotope composition, Middle Devonian, 60(4): 644
  Sr/Ca, Squirrel Cove, British Columbia, 60(21): 4210
  temperature, calibration, D(Sr/Ca), corals, Porites, 60(20): 3849
  temperature determination, Mg concentration, foraminiferal calcite, 60(5): 803
  trace metals, colloidal, San Francisco Bay, 60(24): 4933
  trace elements, corals, 60(16): 3075
  V, based on foraminiferal calcite, 60(19): 3701
  Y, Pacific Ocean, 60(23): 4631
  Zr, continental shelf, northeastern Atlantic, 60(21): 3995
Sediment, estuarine
  As, diagenesis, Amazon shelf, 60(9): 1465
  ^{210}Pb, Amazon continental shelf, 60(12): 2123
  pyrite, framboidal, size distribution, 60(20): 3897
  S, organic and inorganic, diagenesis, St. Andrew Bay, Florida
  ^{234}Th, Amazon continental shelf, 60(12): 2123
Sediment, fluvial
  chemical composition, Zaire River, 60(8): 1304
  dating, thermoluminescence, Australia, 60(4): 565
Sediment, lacustrine
  Qinghai Lake, China, alkenones, 60(2): 235
  reflectance spectroscopy, Lake Hoare, Antarctica, 60(5): 765
  temperature record, central Europe, 60(21): 4025
  transport, ^{137}Cs, 60(6): 995
Sediment, marine
  Ag, Cape Cod bays, 60(15): 2753
  $CaCO_3$, dissolution, Ceara Rise, Atlantic Ocean, 60(2): 243
  biogenic sediment, excess Al, relation to Ti, 60(20): 3869
  ^{137}Cs, Norwegian Sea, fallout, Chernobyl, 60(18): 3427
  diagenesis, Fe, Peru Margin, 60(15): 2777
  diagenesis, magnesian calcite, cement, 60(13): 2427
  diagenesis, model, 60(16): 2993
  diagenesis, organic matter, coastal environment, 60(19): 3619
  diagenesis, Santa Barbara basin, California, 60(21): 4037
  extraterrestrial matter, accretion, 60(17): 3187
  fallout, Chernobyl, Norwegian Sea, 60(18): 3425
  hydrocarbons, aryl isoprenoids, 60(23): 4873
  hydrocarbons, isohexyl alkyl-aromatic, 60(23): 4747
  lipids, degradation, 60(10): 1793
  maleimides, indicator, anoxygenic photosynthesis, 60(20): 3913
  methane, C, isotope composition, 60(20): 3835
  mineralization, C, O_2, and N_2, model, 60(6): 1019
  Mn-rich, Baltic Sea, 60(8): 1399
  Os, isotope composition, Cape Cod bays, 60(15): 2753
  P, geochemistry, equatorial Pacific Ocean, 60(9): 1479
  particulates, biogenic, authigenic, Middle Atlantic Bight, 60(18): 3383
  phytane, origin, 60(6): 1065
  polyethers, C sink, 60(7): 1275
  preservation, organic matter, 60(9): 1577
  pyrite, formation, S isotope composition, Black Sea, 60(7): 1261
  sapropel, oxidation of, eastern Mediterranean, 60(21): 4007
  sedimentation rate, ^{226}Ra in barite, 60(22): 4313
Sedimentary rocks
  provenance, Pb-Pb dating, zircon, monazite, 60(24): 5063
  St. Peter Sandstone, Michigan, diagenetic history, 60(24): 5107
Selenium
  uptake, bacteria, 60(18): 3531
Shale
  Archean, geochemistry, Zimbabwe, 60(10): 1751
  Mo, incorporation, from seawater, 60(19): 3631
  O, isotope composition, mudrocks, 60(17): 3347
  organic matter, preservation, marine, 60(9): 1577
Siberia, Russia
  basalt, U-Pb dating, 60(18): 3505
  Lake Baikal, 60(6): 961
Silicon
  selfdiffusion, basaltic melt, 60(3): 405
Si, isotope composition
  SiC grains, Murchison, 60(5): 883
Silver
  Ag^+, aquated, 60(13): 2273
  tracer, anthropogenic contamination, Cape Cod bays, 60(15): 2753
Smectite
  geothermometry, bentonite, O, H, isotope composition, 60(21): 4285
  transformation, smectite-illite, 60(3): 439
Smythite (Fe_9S_{11})
  formation, 60(19): 3581
SNC meteorites
  ALH84001, magnetite, 60(24): 5149
  ALH84001, S, isotope composition, 60(15): 2921
  H, isotope geochemistry, 60(14): 2635
  O, isotope composition, 60(11): 2000
  QUE94201, petrogenesis, Martian magma, 60(22): 4563
Soil
  C, isotope composition, CO_2, 3403
  CO_2, Phanerozoic, 60(22): 4397
  fractionation, isotopic; O_2 and N_2, soil gases, 60(6): 1005
  iodide, reactivity, 60(24): 4945
  metal sulfide, solubility, reduced soil, 60(1): 3609
Solar nebula
  ^{41}Ca, existence, 60(10): 1823

metal grains, formation, evolution, 60(14): 2667
volatilization, K, 60(19): 3755
Solar system
planetary accretion, timescale, 60(7): 1131
Solubility
$CaCO_3$, seawater, 60(2): 243
Cr-jarosite, 60(20): 3815
boehmite, 60(11): 197
bunsenite, NiO, 60(2): 213
hornblende, 60(6): 941
illite, 60(11): 1876
jarosite, 60(2): 185
K-montmorillonite, 60(6): 621
NpO_2^+, 60(12): 2065
rhodochrosite, hydrothermal, 60(21): 3983
W, silicate melt, 60(7): 1171
Sorption
arsenate, ferrihydrite, 60(10): 1765
Au, ferrihydrite, goethite, 60(9): 1531
Co^{2+}, quartz, 60(14): 2515
Cd, Al_2O_3, 60(16): 2929
Co^{2+}, rutile, 60(14): 2515
Co-EDTA complexes, on ferrihydrite, 60(11): 1899
Cs, illite, 60(21): 4059
Cs, kaolinite, 60(21): 4059
Cu^{2+}, Ca^{2+} on goethite, organic acid, effect, 60(2): 291
Cs, clay minerals, 60(6): 1041
^{137}Cs, sediment, 60(6): 995
metal ions, organic matter, 60(14): 2503
metal ions, oxyhydroxides of Fe, Mn, 60(3): 387
o-phthalate, goethite, 60(22): 4385
organic compounds, iron oxide, 60(11): 1943
organic matter, iron oxide, 60(16): 2977
Pb^{2+}, alpha alumina, 60(18): 3541
^{210}Pb, sediment, Amazon continental shelf, 60(12): 2123
phosphate, goethite, 60(22): 4385
^{234}Th, sediment, Amazon continental shelf, 60(12): 2123
U, bone, archaeological, 60(12): 2139
UO_2^{2+}, smectite, 60(18): 3399
Spain
Calatrava, volcanic center, 60(8): 1355
gold-quartz veins, origin, 60(1): 43
Sphalerite
synthesis, doping, transition metals, 60(23): 4701
Spherules
basalt, Paleocene, West Greenland, 60(5): 815
lunar, petrogenesis, 60(4): 693
lunar, trace elements, 60(4): 695
Spinel
trace elements, Cr spinel, 60(3): 545
Statistics
'Pearce ratio method, extension, 60(14): 2551
propagation of uncertainty, geochemical codes, 60(19): 3551
slope ratio analysis, 60(14): 2551
Stishovite
phase transition, $CaCl_2$-like structure, 60(19): 3657
Strontium
calcite, Yucca Mountain, Nevada, 60(22): 4417
corals, Thailand, 60(18): 3469
diffusion, albite and sanidine, 60(24): 5037
diffusion, rhyolite melt, 60(8): 1387
foraminifera, analysis, 60(16): 3143
Orinoco River, Colombia and Venezuela, 60(16): 2974
partitioning, calcite, 60(6): 1053
profiles, Mercenaria, Spisula, 60(18): 3445
soil, Barbados, 60(21): 4195
Sr/Ca, annual cycles, corals, 60(16): 3075
$SrCO_3$-$CaCO_3$, solid solution, 60(6): 933
temperature calibration, D(Sr/Ca), corals, 60(20): 3849
Sr, isotope composition
anorthosite, Laramie Range, Wyoming, 60(1): 95
apatite, iron ore, Malmberget, Sweden, 60(11): 1957
basalt, Mariana trough, 60(12): 2159
basalt, Vietnam, 60(22): 4334
basalt, Yemen, 60(14): 2562
brachiopods, Middle Devonian, 60(4): 639
cpx, lamprophyre, Abitibi belt, Canada, 60(22): 4557
carbonate rocks, Belt Supergroup, Montana and Idaho, 60(4): 667
conodonts, Middle Devonian, 60(4): 639
cryptomelane, 60(12): 2223
fluid inclusions, quartz veins, Dartmoor granite, England, 60(4): 653
groundwater, Florida, 60(24): 5075
groundwater, Wisconsin, 60(10): 1807
Orinoco River, Colombia and Venezuela, 60(16): 2974
phlogopite, xenoliths, 60(17): 3241
pyroxene, xenoliths, 60(17): 3241
pyroxenite, Beni Bousera, ultramafic complex, Morocco, 60(8): 1429
soil, Barbados, 60(21): 4193
stilbite, iron, Malmberget, Sweden, 60(11): 1957
volcanic rocks, Grenada, Lesser Antilles, 60(23): 4785
water, St. Lawrence River system, Canada, 60(5): 851
xenolith, spinel lherzolite, Yukon, Canada, 60(21): 4245
Subduction zone
sediment alteration, 5.5-11 GPa, 60(21): 4133
overlying mantle, oxidation state, Simcoe volcano, Washington, 60(10): 1739
Sudbury, Ni-Cu ore
impact glasses, Onaping Formation, 60(11): 2019
sources of metals, 60(9): 1605
Sulfate
reduction, reservoir, natural gas, 60(20): 3925
sorption, goethite, 60(15): 2789; 60(24): 5045
Sulfide
complexation, HS^- with Au^+, 60(11): 1849
Sulfide minerals
galena, surface chemistry, 60(13): 2413; 60(16): 3067
He, content, isotope composition, East Pacific Rise, 60(1): 87
Nisku Formation, Alberta, 60(2): 325
precipitation order, reduced soil, 60(19): 3609
pyrite, formation, 60(21): 4167
pyrite, formation, Black Sea, 60(7): 1261
pyrite, sapropel, Mediterranean Sea, 60(5): 751
smythite (Fe_9S_{11}), origin, 60(19): 3581
Sulfur
Au, in vitro produced, 60(22): 4369
abundance, alkaline melts, 60(21): 4151
core, Earth, 60(7): 1125
estuarine sediment, organic and inorganic, St. Andrew Bay, Florida, 60(13): 2325
incorporation, mudrocks, Jurassic, 60(21): 4181
geochemistry, salt dome, Bahloul Formation, Tunesia
oxidation, thiosulfate, 60(23): 4701
Sulfur, isotopic composition
Bahloul Formation, sulfides, Tunisia, 60(15): 2849
leaves, desert plants, Death Valley, California, 60(16): 3017
pyrite, mudrocks, Jurassic, 60(21): 4189
pyrite, sediment, Black Sea, 60(7): 1261
S, elemental, mudrocks, 60(21): 4189
sediment, estuarine, St. Andrew Bay, Florida, 60(13): 2330
sulfide minerals, Nisku Formation, Alberta, 60(2): 325
tree rings, Tamarix aphylla, Death Valley, California, 60(16): 3019
water, sulfate, St. Lawrence River System, Canada, 60(5): 851
xenoliths, Dish Hill, California, 60(11): 1933
Surface chemistry
apatite, REE distribution, intracrystalline, 60(22): 4435
calcite, Co^{2+}, 60(15): 2801
calcite, dissolution, 60(23): 4883
calcite, incorporation of Co^{2+}, Zn^{2+}, Cd^{2+}, and Ba^{2+}, 60(9): 1543
calcite, overgrowth, 60(23): 4689
chemical weathering, granitic alluvium, 60(14): 2533
crystal growth, gypsum, 60(17): 3295
dolomite, Ca^{2+} and Mg^{2+}, 60(4): 727
equilibrium constant, single-site protonation, oxide and silicate surfaces in water, 60(20): 3773
galena, 60(13): 2413
galena, dissolution, 60(16): 3067
goethite, Cu, organic acids, sulfate, sorption, 60(24): 5045
goethite, ferrihydrite, gold complexes, 60(9): 1531
goethite, o-phthalate, 60(22): 4385
goethite, organic ligands, 60(22): 4403
goethite, phosphate, 60(22): 4385
goethite, sulfate sorption, 60(15): 2789
hematite, 60(2): 305
model, mineral-water interface, goethite, hematite, 60(9): 1553
model, proton binding, goethite, surface sites, 60(9): 1563
organic matter, metals, binding, 60(14): 2503
quartz, Co^{2+}, sorption, 60(14): 2515
reduction, aqueous transition metals, by Fe^{2+}, magnetite ilmenite, 60(20): 3799

rutile, Co^{2+}, sorption, 60(14): 2515
smectite, UO_2^{2+} sorption, 60(18): 3399
STM images, 60(13): 2413
STS spectra, 60(13): 2413
trace metals, colloidal particles, San Francisco Bay, 60(24): 4933
trace elements, uptake, crystal growth, 60(24): 5013
XPS peak shifts, 60(13): 2413
Sweden
Malmberget, iron ore, 60(11): 1951
Switzerland
Kristallina, adularia, 60(21): 4075
noble gases, groundwater and rocks, 60(9): 1497
ultramafic rocks, Alps, 60(14): 2583

T

Taiwan
C, isotope composition, tree rings, 60(1): 171
Tantalum
mantle, lithospheric, 60(3): 545
Teeth
O, isotope composition, herbivore, 60(20): 3889
Tektites
cooling rate, 60(6): 1099
O, isotope composition, 60(11): 2001
TEM
presolar diamonds, 60(23): 4853
Pt-C replicas, overgrowths, calcite, 60(23): 4689
Tennessee, USA
Oak Ridge Reservation, brine, 60(6): 787
Thailand
Phuket, corals, trace elements, 60(18): 3457
Thermodynamics
Al, speciation, KOH solution, 60(23): 4601
albite-water melts, 60(1): 59
As(III) hydroxide complexes, 60(5): 737
C cycle, lagoon, stability, 60(19): 3569
$CaCl_2$-H_2O system, 60(1): 7
calcite, thermodynamic properties, 60(18): 3471
CaO-Al_2O_3-SiO_2 system, compressibility, 60(1): 75
dissolution, brucite, activation energy, 60(24): 5055
enthalpy, gibbsite, boehmite, 60(1): 1
enthalpy, mixing, $(Fe,Mg)CO_3$, 60(22): 4377
enthalpy of mixing, $SrCO_3$-$CaCO_3$, 60(6): 933
enthalpy of solution, Ti^{4+}, silicate melt, 60(21): 4123
equation of state, supercritical fluid mixtures, 60(7): 1209
equilibrium constant, single-site protonation, oxides and silicates in water, 60(20): 3773
finite time, stability, hydrocarbons, 60(22): 4447
Gibbs free energies of formation, Au^+ complexes, with HS^+, 60(11): 1861
Gibbs free energy, hydrocarbon mixture, minimum, 60(22): 4447
Gibbs free energy minimization, MgO-FeO-SiO_2, 60(13): 2379
Gibbs free energy of formation, Cd oxalate, 60(8): 1283
Gibbs free energy of formation, Hg oxalate, 60(8): 1283
Gibbs free energy of formation, kaolinite, 60(4): 553
Gibbs free energy of formation, Pb oxalate, 60(8): 1283
Gibbs free energy of formation, PdO, 60(14): 2487
Gibbs free energy of formation, Zn oxalate, 60(8): 1283
heat capacity, garnet, pyrope-grossular, 60(17): 3215
isochoric-isoplethic paths, fluid inclusions, multicomponent, 60(20): 3825
kinetics, dissolution, biotite, 60(3): 367
kinetics, dissolution, muscovite, 60(3): 367
kinetics, dissolution, phlogopite, 60(3): 367
kinetics, dissolution, plagioclase, 60(16): 2939
melting, high pressure, lower mantle, 60(7): 1109
partitioning, U, fluid-granitic melt, 60(9): 1515
partitioning, apatite-melt, cpx-melt, amphibole-melt, 60(3): 423
partitioning, REE, cpx-melt, 60(2): 359
phase relations, CH_4-H_2O-NaCl system, 60(11): 1885
phase transition, stishovite-$CaCl_2$-like structure, deviatoric stress, 60(19): 3657
silicate melts, solution properties, 60(13): 2365
solid solution, $SrCO_3$-$CaCO_3$, 60(6): 933
solubility, boehmite, 60(2): 197
solubility, bunsenite, NiO, 60(2): 213
solubility, $CaCO_3$, Ceara Rise, Atlantic Ocean, 60(2): 243
solubility, corundum, KOH solution, 60(23): 4601
solubility, Cr-jarosite, 60(20): 3815
solubility, hornblende, 60(6): 941
solubility, illite, 60(11): 1873
solubility, jarosite, 60(2): 185
solubility, K-montmorillonite, 60(6): 621
solubility, metal sulfides, reduced soils, 60(19): 3609
solubility, rhodochrosite, 60(21): 3983
solubility, W, silicate melt, 60(7): 1171
speciation, gold, aqueous solution, 60(1): 17
stability, Al silicate complexes, acidic solution, 60(14): 2495
stability, illite, 60(11): 1873
stability, Mn chloride complexes, 60(22): 4295
stability, muscovite, 5.5. to 11 GPa, 60(21): 4133
stability, Nd chloride complexes, 60(23): 4615
stability constant, Na-aluminate, 60(2): 197
structure, silicate melt, high temperature, 60(19): 3665
Thermoluminescence
dating, fluvial sediment, 60(4): 565
Thorium
chondrites, carbonaceous, 60(17): 3354
^{230}Th
dating, carbonates, Lake Lahontan, Nevada, 60(15): 2817
^{234}Th
sediment, Amazon continental shelf, 60(12): 2123
Tin
rhyolite, Mexico, 60(17): 3267
SnO_2, solubility, haplogranitic melt, 60(24): 4965
Titanium
biogenic sediment, relation to excess Al, 60(20): 3869
partitioning, ferromanganese crust-seawater, 60(10): 1709
picritic glasses, lunar, 60(18): 3523
selfdiffusion, haplogranitic melt, 60(8): 1329
Ti^{4+}, coordination chemistry, glasses, 60(16): 3023, 3039, 3055
Ti^{4+}, structure, silicate melts, 60(21): 4123
Tortuosity
model, sediment, 60(16): 3139
Tourmaline
B, isotope composition, 60(8): 1415
Trace elements
achondrite meteorites, 60(5): 870
Allende, carbonaceous chondrite, 60(11): 1986
amphibole, spinel lherzolite xenoliths, 60(8): 1367
basalt, Mariana trough, 60(12): 2158
basalt, Vietnam, 60(22): 4332
basalt, Yemen, 60(14): 2562
basaltic meteorites, 60(1): 147
clinopyroxene, xenoliths, 60(8): 1370
corals, Thailand, 60(18): 3457
Duluth Gabbro, Minnesota, 60(24): 4997
fluid inclusions, diamonds, Botswana, 60(23): 4711
fluid inclusions, peridotite xenoliths, 60(17): 3232
high-fieldstrength elements, Strange Lake peralkaline complex, 60(11): 1917
iron formation, Archean, India, 60(17): 3287
Kakangari, chondrites, 60(21): 4258
lamprophyres, 60(22): 4552
Lewisian gneiss, Scotland, 60(16): 3089
magma formation, subduction zones, 60(4): 587
melt inclusions, rhyolite, Mexico, 60(17): 3270
minerals, eucrites, noncumulate, 60(22): 4574
minerals, Mokoia, chondrite, 60(21): 4271
partitioning, amphibole-melt, 60(3): 423
partitioning, apatite-melt, 60(3): 423
partitioning, cpx-lamprophyre melt, 60(4): 629
partitioning, cpx-melt, 60(3): 423
partitioning, minerals-melt, computer simulation, 60(24): 4977
partitioning, phlogopite-lamprophyre melt, 60(4): 629
plume particles, East Pacific Rise, 60(13): 2300
pyroxenite, Beni Bousera, Morocco, 60(8): 1432

reduction, aqueous transition metals, by Fe^{2+}, magnetite and ilmenite, 60(20): 3799
San Francisco Bay, colloidal, 60(24): 4933
sorption, DOC, stream water, 60(19): 3643
sphalerite, 60(23): 4701
spherules, glassy, basalt, West Greenland, 60(5): 825
sediment, Lake Hoare, Antarctica, 60(5): 773
sediment, Zaire River, 60(8): 1304
shale, Archean, Zimbabwe, 60(10): 1756
shale, marine, 60(9): 1580
spinel, peridotite, 60(3): 545
Strange Lake peralkaline complex, Quebec/Labrador, 60(11): 1920
syenite, Abitibi belt, Canada, 60(22): 4552
uptake, crystal growth, 60(24): 5013
volcanic rocks, Calatrava, Spain, 60(8): 1355
volcanic rocks, Kamchatka, 60(7): 1224
zircon inclusions, corundum, alkali basalt, 60(13): 2347
Tree rings
C, isotope composition, seasonal variation, Taiwan, 60(1): 171
Tungsten
chondrites, carbonaceous, 60(17): 3354
depletion, bulk silicate Earth, 60(7): 1155
solubility, haplobasaltic melt, 60(7): 1171
Tunisia
Bahloul Formation, salt dome, 60(15): 2833

U

Ukraine
Chernobyl, fallout, 60(18): 3425
Ultramafic rocks
see also: xenoliths
Nd, isotope composition, 60(22): 4537
Nd, isotope compositions, Swiss Alps, 60(14): 2583
REE, 60(22): 4537
REE, Swiss Alps, 60(14): 2583
Uranium
association, Ce-U-Mn, Cahill Formation, schist, Northern Territory, Australia, 60(10): 1695
chondrites, carbonaceous, 60(17): 3354
corals, Thailand, 60(18): 3468
groundwater, Great Basin, USA, 60(17): 3197
Mercenaria shells, 60(19): 3735
reactor, natural, Franceville, Gabon, 60(23): 4831
salt marsh, U sink, 60(20): 3879
selfdiffusion, haplobasaltic melt, 60(8): 1329
solubility, granitic magma, 60(9): 1515
U, mineralization, leucogranites, Massif Central, France, 60(23): 4673
U-He dating
apatite, 60(21): 4231
alpha stopping range, 60(21): 4223
$^{234}U/^{238}U$
profile, Mercenaria shells, 60(19): 3735
salt marshes, Delaware, USA, 60(20): 3881
U-Pb dating
basalt, Siberia, 60(18): 3505
fluid inclusions, quartz veins, Dartmoor granite, 60(4): 653
garnet, role of inclusions, 60(1): 109
spinel lherzolite, xenoliths, Yukon, Canada, 60(21): 4241
stilbite-bearing rocks, iron ore, Malmberget, Sweden, 60(11): 1951
zircon, plutons, Tertiary, 60(20): 3955
Ureilites (meteorites)
noble gases, 60(17): 3324
O, isotope composition, 60(11): 2007

V

Vanadium
calcite, foraminifera, 60(19): 3701
iron oxide, lateritic, 60(21): 4279
Venezuela
Orinoco River, geochemistry, 60(16): 2949
Viscosity
pyroxene, garnet melt, 1011
selfdiffusion, $CaO-Al_2O_3-SiO_2$, 60(22): 4353
silicate melts, effect of P_2O_5, 60(21): 4107

W

Washington, USA
Simcoe, volcano, xenliths, 60(10): 1739
WAXS (Wide angle x-ray scattering)
structure, ferrihydrite, 60(10): 1765
Weathering
Al concentration, oscillatory, 60(15): 2901
alteration, hydrothermal, rhyolite, effect of CO_2, 60(20): 3859
effect on O_2 and CO_2, atmosphere, 60(9): 1633
granitic alluvium, kinetics, 60(14): 2533
meteorites, desert, 60(11): 2053
Na-Ca-Cl relations, basinal fluids, 60(15): 2743
oxidation, basaltic glass, 60(17): 3253
plants, effect on weathering rate, 60(4): 723, 725
Si, concentration, oscillatory, 60(15): 2901
Wisconsin, USA
groundwater, chemical evolution, 60(10): 1807
St. Peter Sandstone, diagenetic history, 60(24): 5107
Wyoming, USA
Laramie Range, anorthosite, Sr, Nd, isotope composition, 60(1): 95

X

XAFS
Ag^+, aquated, 60(13): 2273
Co^{2+}, sorption, rutile and quartz, 60(14): 2515
coordination chemistry, Ti^{4+}, glasses and melts, 60(16): 3023
Mo, black shale, 60(19): 3631
Pb^{2+}, sorption, alpha alumina, 60(18): 3541
Xenolith
amphibole, trace elements, 60(8): 1367
fluid inclusions, trace elements, 60(17): 3229
Kamchatka, Russia, 60(7): 1217
noble gases, profile, Hawaii, 60(23): 4773
Pt-group metals, Dish Hill, California, 60(11): 1935
REE, Dish Hill, California, 60(11): 1935
spinel lherzolite, Yukon, Canada, 60(21): 4241
spinel peridotite, Simcoe volcano, Washington, 60(10): 1739
Xenon, isotope composition
chondrite meteorites, HF/HCl residues, 60(17): 3314
eucrite meteorites, 60(13): 2455
^{126}Xe, production, from Te, 60(22): 4593

Y

Yemen
basalt, petrogenesis, 60(14): 2559
lherzolite, 60(3): 423
Ytterbium
selfdiffusion, haplobasaltic melt, 60(8): 1329
Yttrium
partitioning, ferromanganese crust-seawater, 60(10): 1709
seawater, Pacific Ocean, 60(23): 4615

Z

Zaire
Congo basin, major and trace elements, 60(8): 1301
Zaire river (Congo)
chemical composition, 60(8): 1301
Zeolite
stilbite, U-Pb dating, 60(11): 1955
Zimbabwe
Buhwa greenstone belt, shale, Archean, 60(10): 1751
Zinc
Gibbs free energy of formation, Zn oxalate, 60(8): 1283
incorporation, calcite, 60(9): 1543
Zirconium
picritic glasses, Moon, 60(18): 3521
seawater, continental shelf, northeastern Atlantic, 60(21): 3993
selfdiffusion, haplobasaltic melt, 60(8): 1329
Zircon
inclusions, corundum, trace elements, 60(13): 2347
metamictization, microscale, 60(6): 1091
Pb-Pb dates, Brazil, 60(24): 5063
U-Pb dating, Tertiary plutons, 60(20): 3955

AUTHOR INDEX

(A = Addendum; BR = Book Review; C = Comment; E = Erratum; L = Letter; R = Reply;
SC = Scientific Comment; all other entries are regular articles)

Aeschbach-Hertig W. 1:31; 6:961
Agee C. B. 14:2709
Ague J. J. 18:3487
Aguillon R. A. 17:3267
Ahmad A. 18:3531 (L)
Alefs J. 21:4025
Alexander R. 23:4747
Ali M. A. 2:291; 24:5045
Allan G. L. 4:679
Allan N. L. 24:4977
Allègre C. J. 8:1301
Allen J. 2:235
Aller R. C. 9:1465
Allison N. 18:3457
Amari S. 5:883
Amon R. M. W. 10:1783
Amonette J. E. 23:4883 (L)
Amouric M. 9:1531
Andersen D. W. 5:765
Anderson R. F. 15:2817; 18:3383
Apitz S. E. 24:4897
Appold M. S. 2:225
Aravena R. 12:2209
Archibald D. A. 23:4653
Arculus R. J. 23:4785
Ariskin A. A. 24:4997
Arribas A. 22:4525
Artan M. A. 9:1605
Atkinson J. E. 20:3913
Ayalon A. 2:337
Azaroual M. 23:4601

Baas M. 7:1239
Bada J. L. 2:349
Badro J. 18:3471
Baer D. R. 23:4883 (L)
Baker E. T. 13:2297
Baker J. A. 14:2559
Baker L. L. 12:2179
Baker P. A. 12:2189
Bakker R. J. 10:1657
Baldridge W. S. 23:4765
Ballentine C. J. 5:831
Balzer W. 18:3425
Banks D. A. 1:43; 4:653
Banner J. L. 21:4193
Bar-Matthews M. 2:337
Bargar J. R. 18:3541 (L)
Barnes H. L. 19:3581; 20:3897; 21:4167
Barnes S.-J. 7:1231
Baron D. 2:185; 20:3815
Bau M. 10:1709
Baur H. 6:961
Beauvais A. 12:2219
Bechtel A. 15:2833
Becker U. 13:2413; 17:3295
Bedini R. M. 3:545 (L)
Begemann F. 22:4593
Belonoshko A. B. 10:1645; 19:3657
Belzile N. 3:387
Benaim J. Y. 19:3643
Bender M. L. 6:1005
Benedetti M. F. 9:1531; 14:2503; 19:3643
Benner R. 10:1783
Benning L. G. 11:1849
Bensley D. F. 4:721 (R)
Berelson W. M. 8:1291
Bernatowicz T. J. 23:4853
Berndt M. E. 9:1595
Berner R. A. 9:1633 (SC)
Berry F. J. 11:2053 (L)
Beserra T. B. 7:1155
Beveridge T. J. 22:4369
Bigham J. M. 12:2111
Biino G. G. 14:2583
Bijma J. 5:803
Bingen B. 8:1341
Biscaye P. E. 18:3383
Bischoff A. 3:489
Bischoff J. L. 1:7; 20:3859
Bishop J. L. 5:765
Blair N. E. 20:3835
Blake G. A. 24:4897
Blanc P.-L. 23:4831
Bland P. A. 11:2053 (L)
Bloom P. R. 6:941
Bloomer S. H. 12:2153
Blum A. E. 14:2533
Blum J. D. 9:1639 (BR)
Blundy J. D. 2:359 (L); 24:4977
Bock K. W. 18:3445
Bodinier J.-L. 3:545 (L)
Boehler R. 7:1109
Boehme S. E. 20:3835
Bogard D. D. 5:867; 14:2681
Boily J. F. 16:2929
Boiron M.-C. 1:43
Bonani G. 15:2817
Boockoff L. A. 11:1885
Boogers I. 7:1275 (L)
Borg L. E. 21:4193
Bosbach D. 17:3295
Bosenick A. 17:3215
Bothner M. H. 15:2753
Boudreau B. P. 16:3139 (SC)
Boutelle S. 22:4321
Bowers T. S. 19:3767:10
Bradley J. P. 24:5149 (L)
Brady P. V. 4:727 (L)
Brandon A. D. 10:1739
Brantley S. L. 20:3897
Brearley A. J. 16:3103
Brendel P. J. 6:951
Brennan E. W. 19:3609
Brinton K. L. F. 2:349
Brockmeyer P. 11:2019
Broecker W. S. 6:1005; 15:2817
Brooks S. C. 11:1899
Brown E. T. 16:2949
Brown G. E. Jr. 14:2515; 15:2801; 16:3023, 3039; 18:3541 (L)
Browning L. B. 14:2621
Bruchert V. 13:2325
Bryant J. D. 24:5145 (SC)
Bryndzia L. T. 8:1367
Buchanan P. C. 1:135
Bugna G. C. 23:4735
Buhay W. M. 12:2209
Buhl D. 4:639
Buhmann D. 18:3375
Bullen T. D. 10:1807; 14:2533; 24:5075
Burdige D. J. 9:1640 (BR)
Burnett W. C. 22:4321; 23:4735
Burns S. J. 12:2189
Burt D. M. 17:3267
Buseck P. R. 21:4265; 23:4853
Bustin R. M. 9:1577
Byrne R. H. 17:3341 (SC)

Cable P. H. 23:4735
Calvert S. E. 7:1261; 9:1577
Canfield D. E. 15:2777; 21:4037
Canil D. 23:4725
Canuel E. A. 10:1793
Carignan J. 21:4241
Caristan Y. 12:2087
Carlson R. W. 22:4329
Carmichael I. S. E. 2:355 (SC)
Casey W. H. 2:213; 6:933; 8:1283; 18:3531 (L); 22:4403; 24:4945
Castet S. 2:197
Castles J. J. 8:1283
Cathelineau M. 1:43; 10:1657
Cattin R. 12:2087
Cavazzini G. 11:2049 (SC)
Cebria J. M. 8:1355
Cemic L. 17:3215
Cerling T. E. 15:2909 (SC)
Chacko T. 14:2595
Chai L. 6:933; 22:4377
Chalokwu C. I. 24:4997
Chan L.-H. 5:909 (L)
Chanton J. P. 20:3835; 23:4735
Chappell B. W. 12:2075
Charnock J. M. 13:2273; 19:3631
Chazot G. 3:423
Cheilletz A. 23:4653, 4673
Chen C.-Y. 20:3849
Chen M.-J. 1:171 (SC)
Chen Q. 1:1
Cheng W. 20:3979 (E)
Cherniak D. J. 24:5037
Chipera S. J. 22:4417
Chisholm-Brause C. J. 14:2515
Chiu C.-H. 1:171 (SC)
Christiansen M. B. 21:4037
Church T. M. 20:3879
Circone S. 14:2709
Clark D. L. 12:2065
Clayton R. N. 11:1999; 14:2595, 2681; 21:4253
Clocchiatti R. 21:4151
Coale K. H. 8:1291
Cockayne D. J. H. 10:1695
Cohen A. L. 16:3075
Cole D. R. 2:325
Coleman M. L. 5:831
Collerson K. D. 18:3513
Collier R. W. 22:4509
Comans R. N. J. 6:995
Conrad M. E. 3:455
Cooper R. F. 17:3253
Coplen T. B. 17:3359:10
Cormie A. B. 21:4161
Courtial P. 1:75
Crelling J. C. 4:721 (R)
Cresswell R. G. 4:679
Criscenti L. J. 19:3551
Criss R. E. 15:2743
Crocket J. H. 9:1605; 13:2397

Crozaz G. 22:4563, 4571
Cuadros J. 3:439
Cuney M. 9:1515; 23:4653, 4673
Cussen H. 21:4007
Cygan R. T. 6:1041
Cygan T. R. 21:4059
Czamanske G. K. 18:3505

Dahl P. S. 19:3687
Dahlgren R. A. 24:4945
Dai C.-F. 20:3849
Dalrymple G. B. 4:693
Dandurand J.-L. 4:553
Das Sharma S. 17:3285
Daulton T. L. 23:4853
Davies A. 2:359 (L)
Davis A. M. 8:1367; 22:4353
Davis J. A. 10:1765
Davisson M. L. 15:2743
de Lange G. J. 5:751; 21:4007
de Leeuw J. W. 7:1239, 1275 (L); 22:4467
de Waal S. A. 14:2551
Defant M. J. 7:1217
DeHart J. M. 12:2233
Delaney M. L. 9:1479
Delano J. W. 4:693
Delgado A. 21:4285 (SC)
Demaiffe D. 8:1341
DeMaster D. J. 12:2123
DePaolo D. J. 20:3933
Devidal J. L. 2:213; 4:553
DeVitre R. R. 3:387
DeWolf C. P. 1:121
Diakonov I. 2:197; 11:2061 (E)
Diamond L. W. 20:3825
Dickin A. P. 9:1605
Diener A. 4:639
Dimanov A. 21:4095
Dingwell D. B. 3:537 (R); 6:1099 (SC); 7:1171; 21:4107
Dobson B. R. 13:2273
Dodge R. E. 15:2857, 2871
Domanik K. J. 21:4133
Dove P. M. 13:2473 (L)
Downs J. W. 1:179 (BR)
Drake M. J. 12:2257
Draper D. S. 10:1739
Dreibus G. 7:1125
Dressler B. O. 11:2019
Drever J. I. 4:725 (R)
Dreybrodt W. 18:3375
Drummond M. S. 7:1217
Duan Z. 7:1209
Dubessy J. 10:1657
Dubrovinsky L. S. 10:1645; 19:3657
Dudoignon P. 12:2087
Dulski P. 10:1709
Dunn T. 8:1387
Dupre B. 8:1301
Dymek R. F. 11:2037; 19:3751 (R)
Dzombak D. A. 2:291; 24:5045

Eberhardt P. 5:883
Ebihara M. 14:2667; 24:5133
Ebneth S. 4:639
Eckardt C. B. 20:3913
Ecuvillon S. 21:4181
Edis R. 10:1695
Edmond J. M. 16:2949
Edwards T. 17:3305
Edwards T. W. D. 12:2209
Eick M. J. 1:157
Eisenhour D. D. 22:4563; 23:4853
El Goresy A. 11:1975
Ellis L. 23:4747
Emerson S. R. 19:3701
Endress M. 3:489
Englert P. A. J. 5:765
Epstein S. 11:1963; 14:2635
Erez J. 19:3701
Erich M. S. 6:941
Erikson R. L. 19:3551
Eriksson K. A. 10:1751
Erlenkeuser H. 21:4025
Ernst W. G. 9:1641: (BR)
Ertel W. 7:1171
Esat T. M. 19:3755 (C)
Essene E. J. 1:121
Eyrolle F. 19:3643

Fagan R. 11:1933
Fahey A. J. 8:1329
Faimon J. 15:2901 (SC)
Fallick A. E. 21:4181
Fanselow J. B. 17:3253
Farges F. 16:3023, 3039, 3055
Farley K. A. 21:4223, 4231
Farrar E. 23:4653
Fedo C. M. 10:1751
Feely R. A. 13:2297; 19:3593
Fein J. B. 16:2929
Felmy A. R. 9:1553, 1563
Feraud G. 12:2219
Ferdelman T. G. 20:3879
Fevrier D. 19:3643
Field D. J. 10:1695
Field S. W. 5:867
Fifield L. K. 4:679
Filippelli G. M. 9:1479
Fleet M. E. 13:2397
Flegal A. R. 24:4933
Fleisher M. Q. 20:3879
Floss C. 11:1975
Flower M. F. J. 22:4329
Fodor R. 1:179 (BR)
Foley S. F. 4:629
Fortin D. 3:387
Fouquet Y. 1:87
Fournier R. O. 1:7
Fowler G. W. 20:3967
Fowler M. B. 16:3085
Franchi I. 21:4253
Francis D. 21:4241
Frank T. D. 13:2427
Friend C. R. L. 16:3085
Frilot D. M. 8:1323
Froelich P. N. 24:5145 (SC)
Froget L. 5:815
Froschl H. 5:765
Frost C. D. 1:95
Fryer B. J. 4:629
Fuller C. C. 10:1765
Furman F. C. 2:225
Furrer G. 13:2333
Furukawa Y. 19:3581

Gaillardet J. 8:1301
Galbraith R. F. 24:5117
Gammons C. H. 10:1683; 22:4295; 23:4615
Gan H. 16:3039, 3055; 21:4123
Ganguly J. 20:3979 (E)
Garner C. D. 19:3631
Garrido C. J. 3:545 (L)
Garrison D. H. 5:867; 14:2681
Gauthier G. 24:5063
Gauthier-Lafaye F. 23:4831
Gautschi A. 9:1497
Gayraud J. 5:815
Geering H. R. 10:1695
Geiger C. A. 17:3215
Gelin F. 7:1275 (L)
Gendron J. 13:2297
Genna B. J. 24:5145 (SC)
Gerasimowicz W. V. 2:265
Getty S. R. 20:3933
Ghaleb B. 19:3735
Gibbison R. 20:3913
Gier E. J. 2:355 (SC)
Gilg H. A. 3:529 (SC)
Gillet P. 18:3471
Girard J.-P. 3:469
Gittins J. 9:1641: (BR)
Gobulev V. 6:961
Godfrey L. V. 21:3995
Golden D. C. 1:157
Goldsmith J. R. 14:2595
Gordon R. M. 8:1291
Goswami J. N. 10:1823
Gout R. 2:197; 4:553; 5:737
Grady M. M. 21:4253
Graham A. M. 23:4785
Graham C. M. 24:5101
Grantham M. C. 13:2473 (L)
Greenough J. D. 4:629
Greffie C. 9:1531
Gribble R. F. 12:2153
Grice K. 20:3913
Griffin W. L. 13:2347
Grossl P. R. 1:157
Grzechnik A. 18:3471
Gu B. 11:1943; 16:2977
Guggenheim S. 12:2167
Guo J. 13:2347
Guy C. 12:2087

Haack H. 9:1615; 14:2609; 16:3103
Halicz L. 2:337
Hall M. A. 24:5089
Hall P. O. J. 19:3619
Hall S. M. 4:667
Halliday A. N. 1:121
Hamelin B. 12:2219
Hamers R. J. 16:3067
Hansen U. 7:1113:2
Harden J. W. 14:2533
Harmon R. S. 23:4785
Harper C. L. 7:1131; 19:3747 (C)
Harradine P. J. 12:2265 (L)
Harrichoury J.-C. 5:737; 14:2495
Harris C. 22:4497
Harris P. G. 12:2265 (L)
Harris R. P. 12:2265 (L)
Harsh J. B. 21:4275 (SC)
Hart S. R. 16:3075; 22:4551
Harte B. 3:423
Hartgers W. A. 22:4467
Hartley G. 2:315
Harvey R. P. 24:5149 (L)
Hasenaka T. 4:613
Hastings D. W. 19:3701
Hatcher P. G. 7:1275 (L)
Hattori K. 22:4551
Hay B. P. 9:1553, 1563
Head R. N. 12:2265 (L)
Hedges R. E. M. 12:2139
Hein J. R. 10:1709; 24:4957
Helz G. R. 19:3631
Hemkin S. 17:3311
Hemleben C. 5:803

Hemming S. 15:2817
Henderson C. M. B. 13:2273
Henry P. 12:2087
Herman P. M. J. 6:1019
Hertogen J. 8:1341
Hervig R. L. 3:405
Hess P. C. 13:2365
Heusser E. 23:4773
Higgins S. R. 16:3067
Hill A. F. M. 21:4181
Hillaire-Marcel C. 19:3735
Hillgren V. J. 12:2257
Ho J. 18:3415
Hoang N. 22:4329
Hochella M. F. Jr. 2:305; 13:2413; 15:2801; 17:3295; 19:3761 (BR)
Hochstaedter A. G. 4:613
Hodge V. F. 17:3197
Hofer M. 1:31; 6:961
Hohmann R. 6:961
Holliger P. 23:4831
Holloway J. R. 21:4133
Holmen B. A. 22:4403
Holtz F. 24:4965
Holzheid A. 7:1181:2
Honma H. 12:2173
Hoppe P. 5:883
Hsu W. 22:4571
Hu X. 14:2595
Hua X. 21:4265
Huckriede H. 8:1399
Huh Y. 16:2949
Hull C. D. 22:4321
Hulth S. 19:3619
Huss G. R. 14:2681; 17:3311
Huston T. S. 2:225
Hutcheon I. D. 14:2681
Hyun J.-H. 22:4321

Imboden D. M. 1:31; 6:961
Ingall E. D. 9:1577
Ingle J. C. 3:455
Ingram B. L. 3:455
Innocent C. 12:2219
Ishibashi J. 13:2297
Itaya T. 22:4525

Jackson S. E. 4:629
Jackson T. A. 4:723 (C)
Jacobsen S. B. 7:1131; 19:3747 (C)
Jaeger W. L. 7:1155
Jakobsen R. 17:3169
Jaoul O. 21:4095
Jardine P. M. 11:1899
Jean-Baptiste Ph. 1:87
Jenner G. A. 4:629
Jochum K. P. 17:3353 (SC)
Johannesson K. H. 17:3197
Johnson K. E. 8:1367
Johnson K. S. 8:1291
Jones H. D. 2:225
Jones J. H. 3:543 (R); 4:577; 7:1195
Jones R. H. 16:3115
Jones T. P. 4:719 (C)
Jordan G. 24:5055
Junta-Rosso J. L. 2:305; 17:3295
Jurewicz A. J. G. 3:543 (R)

Kagi R. I. 23:4747
Kalinowski B. E. 3:367
Kallemeyn G. W. 4:693; 12:2243; 21:4253
Kamo S. L. 18:3505
Karlin R. E. 7:1261
Kastner M. 22:4313
Katz B. G. 24:5075
Kaufman A. 11:1909; 19:3735
Keeling R. F. 6:1005
Keil K. 14:2681
Kendall C. 10:1807
Kenig F. 22:4467
Kepezhinskas P. 7:1217
Kesler S. E. 2:225
Khan R. M. K. 17:3285
Kim Y. 6:1041; 21:4059
Kinniburgh D. G. 14:2503
Kipfer R. 1:31; 6:961
Kirkpatrick R. J. 6:1041; 21:4059
Kirsten T. 23:4773
Klein R. T. 21:4207
Klerkx J. 6:961
Klessa D. A. 10:1695
Koch P. L. 24:5145 (SC)
Koeberl C. 1:180 (BR); 5:765; 16:3163 (BR); 23:4711; 24:5157 (BR)
Koehler G. 14:2721 (SC)
Kohn M. J. 20:3889; 23:4811
Kohnen M. E. L. 23:4873 (SC)
Kojima T. 14:2651
Komor S. 4:733 (BR); 13:2481 (BR); 16:3163 (BR), 3164 (BR); 24:5160: (BR)
Kong P. 14:2667
Koopal L. K. 14:2503
Koopmans M. P. 22:4467; 23:4873 (SC)
Koppi A. J. 10:1695
Koptev-Dvornikov E. 24:4997
Koschinsky A. 10:1709
Koster J. 22:4467
Koster van Groos A. 12:2167
Kou P. 1:171 (SC)
Krabbenhoft D. P. 10:1807
Kralik C. 5:765
Kransel G. 11:1975
Krantz D. E. 18:3445
Krishnamurthy R. V. 19:3761 (BR)
Krogh T. E. 18:3505
Krogstad E. J. 10:1751
Krom M. D. 21:4007
Kronenberg A. K. 21:4075
Krouse H. R. 16:3015
Kruge M. A. 4:721 (R)
Krumhansl J. L. 4:727 (L)
Krupp R. E. 21:3983
Ku T. L. 1:109
Kubacky-Beard U. 8:1283
Kubicki J. D. 24:4897
Kuehl S. A. 12:2123
Kumar N. 8:1429; 18:3383
Kusakabe M. 1:109
Kyser T. K. 11:1933; 14:2721 (SC)

LaFemina J. P. 23:4883 (L)
Lamb W. M. 11:1885
Land L. S. 17:3347 (SC)
Lange R. A. 24:4989
Langmuir C. H. 3:415
Laniak G. F. 19:3551
LaRock P. 22:4321
Lasaga A. C. 13:2283; 24:4913
Laslett G. M. 24:5117
LaTourrette T. 8:1329
Lauckner J. 18:3375
Layne G. D. 3:509; 15:2921 (L); 18:3521; 20:3967
le Carlier de Veslud 23:4673
le Roex A. P. 22:4497
Lea D. W. 16:3143 (SC)
Lebon G. T. 13:2297
Lebron I. 15:2765
Leder J. J. 15:2857, 2871
Lee T. 20:3849
Leeman W. P. 3:415; 4:587
Lehmann B. E. 9:1497
Leinen M. 20:3869
Leppard G. G. 3:387
Lerman A. 7:1271 (BR)
Lesher C. E. 3:405
Leshin L. A. 14:2635
Lewis R. S. 5:883; 17:3311; 23:4853
Li C. 7:1231
Li J. 2:235
Liang L. 11:1943; 16:2977
Liang Y. 22:4353; 23:4883 (L); 24:5021
Lin J. C. 15:2817
Linares J. 3:439
Lindsay W. L. 19:3609
Lindstrom D. J. 7:1195
Lindstrom M. M. 5:867
Linnen R. L. 24:4965
Lipp J. 17:3305
Liu X. 17:3341 (SC)
Liu Y.-G. 6:973
Liu Z. 18:3375
Lofgren G. E. 12:2233
Lohmann K. C. 13:2427
Lohmann K. C. 21:4207
Loosli H. H. 9:1497
Lopez-Ruiz J. 8:1355
Lord C. J. 18:3445
Love S. G. 16:3103
Lövgren L. 15:2789; 22:4385
Lu W. 18:3363
Ludden J. 21:4241
Ludwig C. 2:213
Lugmair G. W. 23:4889 (L)
Luhr J. F. 4:613
Luo S. 1:109
Luther G. W. III 6:951; 15:2729; 18:3445
Lvov S. N. 19:3569
Lynch F. L. 17:3347 (SC)

Maasch K. A. 9:1633 (SC)
Machado N. 24:5063
Machel H. G. 2:325
Mack E. E. 18:3531 (L)
Macpherson C. G. 23:4785
Maehr S. A. 7:1155:2
Makovicky E. 7:1231
Makovicky M. 7:1231
Malone M. J. 12:2189
Marcomini A. 19:3569
Martens C. S. 10:1793; 20:3835
Martin J. B. 21:4037
Martin P. A. 16:3143 (SC)
Martin W. R. 2:243
Martinez I. A. 22:4497
Martini A. 2:225
Marumo K. 13:2297
Maslin M. A. 24:5089
Masuda A. 16:3151 (SC)
Mathew K. J. 22:4593
Matthews A. 2:337
Mattinson J. M. 20:3955
Maxwell J. R. 12:2265 (L); 20:3913
Mayeda T. K. 11:1999; 14:2595, 2681; 21:4253
McCarthy J. F. 11:1943; 16:2977
McClelland W. C. 20:3955
McCoy J. M. 23:4883 (L)

McCoy T. J. 9:1615; 14:2681; 16:3103
McKee B. A. 12:2123
McKenzie G. D. 16:3161 (BR)
McKinley J. P. 18:3399
McMillan P. 18:3471
McSween H. Y. Jr. 14:2621; 22:4563l; 24:5149 (L)
Measures C. I. 16:2949
Mehlhorn T. L. 11:1943; 16:2977
Meischner D. 8:1399
Meisel T. 14:2583
Menzies M. A. 3:423; 14:2559
Merlet C. 3:545 (L)
Metrich N. 21:4151
Mezger K. 1:121
Michard A. 12:2219
Middelburg J. J. 5:751; 6:1019
Mikouchi T. 15:2917 (SC)
Millard A. R. 12:2139
Milledge H. J. 23:4725
Miller C. V. 19:3631
Miller M. F. 1:43; 4:653
Milne C. J. 14:2503
Milner S. C. 22:4497
Ming D. W. 1:157
Mittlefehldt D. W. 3:543 (R); 5:867
Miura T. 24:5133
Mix A. C. 22:4509
Miyamoto M. 15:2917 (SC)
Miyazaki K. 2:277
Moffett J. W. 18:3415
Moller N. 7:1209
Montanari A. 4:721 (R)
Moorbath S. 1:180 (BR)
Moore W. S. 22:4313; 23:4645
Morris J. D. 3:415
Mosselmans J. F. W. 19:3631
Mottl M. J. 19:3593
Mucci A. 2:315; 23:4689
Muller J. 21:4025
Murray A. S. 4:565
Murray R. W. 20:3869
Mysen B. O. 10:1727; 19:3665

Nagahara H. 8:1445
Nagler T. 14:2583
Nagy K. L. 13:2481 (BR)
Nahon D. 12:2219
Nakamura E. 23:4877 (L)
Nakano T. 23:4877 (L)
Naqvi S. M. 17:3285
Nasdala L. 6:1091 (SC)
Nater E. A. 6:941
Nativ R. 5:787
Navon O. 23:4711
Navrotsky A. 6:933; 16:3039, 3055; 21:4123; 22:4377
Nekvasil H. 1:59
Nell J. 14:2487
Nelson B. K. 19:3701
Nelson D. C. 18:3531 (L)
Neu M. P. 12:2065
Neuville D. R. 10:1727
Newman S. 12:2153
Newsom H. E. 4:587; 7:1155
Nguyen-Trung C. 9:1515
Nilsson N. 22:4385
Noble R. A. 24:5161: (BR)
Noll P. D. Jr. 4:587; 7:1155
Noordeloos A. A. M. 7:1275 (L)
Noronha F. 1:43
Nozaki Y. 23:4631
Nürnberg D. 5:803; 13:2483 (E)

O'Day P. A. 14:2515
O'Hearn T. 12:2153
O'Neil J. R. 13:2437
O'Neill H. St. C. 7:1105, 1171; 14:2487
O'Nions R. K. 5:831; 24:4957
O'Reilly S. Y. 13:2347
Oehm J. 23:4773
Okada T. 22:4525
Okamura K. 13:2297
Olsen E. J. 19:3760 (BR)
Ortiz J. D. 22:4509
Oxtoby N. H. 20:3925
Ozawa K. 8:1445

Pačes T. 19:3760 (BR); 24:5159: (BR)
Palin J. M. 11:1963
Palme H. 7:1105, 1125, 1181; 11:1975
Palmer C. D. 2:185; 20:3815
Palmer M. R. 16:2949
Pankow J. F. 6:1053
Papanastassiou D. A. 11:2037; 15:2887; 19:3751 (R)
Papenguth H. W. 4:727 (L)
Papike J. J. 3:509; 15:2921 (L); 18:3521; 20:3967
Paquette J. 23:4689
Parks G. A. 5:2801; 14:2515; 18:3541 (L)
Parron C. 9:1531
Pascal M.-L. 23:4601
Passier H. F. 5:751
Pastres R. 19:3569
Patchett P. J. 19:3717
Patil D. J. 17:3285
Pattrick R. A. D. 19:3631
Paxeus N. 19:3619
Paytan A. 22:4313
Pearson M. J. 21:4181
Peiffert C. 9:1515
Perez W. A. 8:1387
Persson P. 15:2789; 22:4385
Pervaz M. 15:2833
Peterson M. L. 14:2533; 20:3799
Peucker-Ehrenbrink B. 17:3187
Peulve S. 7:1239
Pfab G. 21:4279 (SC)
Philp R. P. 2:235
Pichavant M. 24:4965
Pidgeon R. T. 6:1091 (SC)
Pieters C. M. 5:765
Pillinger C. T. 11:2053 (L); 21:4253
Pinto L. A. 6:1065
Planche H. 22:4447
Poker D. B. 17:3253
Pokrovski G. S. 2:197; 5:737; 14:2495
Pollack J. S. 18:3531 (L)
Pope R. H. 12:2123
Popp R. K. 11:1885
Postma D. 17:3169
Prahl F. G. 6:1065
Pratt L. M. 13:2325
Prinz M. 21:4253
Pu F. 2:235
Purton J. A. 24:4977
Püttmann W. 15:2833

Raiswell R. 15:2777
Rakovan J. 22:4435
Rama 23:4645
Rammensee W. 11:1975; 24:5055
Rasmussen K. L. 14:2609
Ravizza G. E. 15:2753
Rea B. A. 10:1765
Reeder R. J. 9:1543; 22:4435
Regelous M. 18:3513
Rehr J. J. 16:3023, 3039, 3055
Reid A. M. 1:135; 4:577
Reid K. D. 23:4765
Reimers C. E. 21:4037
Reisberg L. 8:1429
Remaidi M. 3:545 (L)
Reyes E. 21:4285 (SC)
Richter F. M. 22:4353; 24:5021
Richter H. 23:4773
Riciputi L. R. 2:325
Riebling E. F. 3:535 (C)
Rivera-Duarte I. 24:4933
Robin E. 5:815
Rocchia R. 5:815
Rocholl A. 23:4773
Rock P. A. 6:933; 8:1283
Romer R. L. 11:1951
Ronen D. 11:1909
Rose-Hansen J. 7:1231
Rosenbauer R. J. 1:7; 20:3859
Rosenbaum J. M. 17:3229
Rosenberg P. E. 11:1873
Rossman G. R. 21:4075
Rousseau D. 8:1301
Roux J. 23:4601
Royer J. J. 23:4673
Rubenstone J. L. 15:2817; 17:3229
Rubie D. C. 12:2257
Rubin A. E. 12:2243
Ruffet G. 12:2219
Rugh W. 22:4509
Runcorn S. K. 7:1205
Runde W. 12:2065
Rustad J. R. 9:1553, 1563
Rutherford M. J. 12:2179
Ruttenberg K. C. 21:4037
Ryan J. 4:587
Ryan J. G. 3:415; 4:613
Ryder G. 4:693
Rye D. M. 18:3487

Sackett W. M. 19:3759 (BR)
Sahai N. 20:3773
Sahijpal S. 10:1823
Saliot A. 7:1239
Salters V. J. M. 21:3995
Salvi S. 11:1917
Sanudo-Wilhelmy S. 24:4933
Sarin M. M. 20:3879
Sass E. 2:337
Sautter V. 21:4095
Savin S. M. 3:469
Saxena S. K. 13:2379
Sayles F. L. 2:243
Scaillet S. 6:1075; 23:4653, 4673
Schidlowski M. 24:5160: (BR)
Schijf J. 17:3341 (SC)
Schindler P. W. 6:921
Schmitt R. A. 6:973
Schoeninger M. J. 20:3889
Schoonen M. A. A. 23:4701
Schott J. 2:197; 5:737;14:2495; 18:3471
Schouten S. 22:4467; 23:4873 (SC)
Schrauder M. 23:4711
Schulz M. S. 14:2533
Schwarcz H. P. 21:4161
Schwark L. 20:3913
Schweda P. 3:367
Schwertmann U. 12:2111; 21:4279 (SC)
Scoates J. S. 1:95
Scott E. R. D. 9:1615; 14:2609; 16:3103
Scrivener R. C. 4:653

Seal R. R. 9:1595
Sergeyev A. S. 14:2495
Severinghaus J. P. 6:1005
Seward T. M. 11:1849; 13:2273; 22:4295
Seyfried W. E. Jr. 9:1595
Sha L.-K. 12:2075
Shackleton N. J. 24:5089
Shahack-Gross R. 20:3949
Shanks W. C. II 9:1595
Sharma M. 11:2037; 19:3751 (R); 22:4537
Sharp Z. D. 15:2909 (SC); 23:4765
Shaw D. M. 9:1640 (BR); 23:4877 (L)
Shearer C. K. 3:509; 15:2921 (L); 18:3521; 20:3967
Shellenbarger P. A. 6:951
Shemesh A. 20:3949
Shen C.-C. 20:3849
Shen J. J. 15:2887
Sheppard S. M. F. 3:529 (SC)
Sheu D. D. 1:171 (SC)
Shieh Y.-N. 15:2833
Shiller A. M. 8:1323; 17:3177
Shimizu H. 16:3151 (SC)
Shimizu N. 22:4551
Showers W. J. 24:5145 (SC)
Shukolyukov A. 13:2453
Sicre M.-A. 7:1239
Signer P. 1:31
Silver L. T. 21:4223, 4231
Simien F. 3:545 (L)
Sims K. W. W. 7:1155:2
Singh R. K. 23:4747
Sinninghe Damstè J. 7:1275 (L); 22:4467;23:4873 (SC)
Sison J. D. 18:3531 (L)
Sjoberg S. 22:4385
Skinner S. J. 11:2053 (L)
Skoog A. 19:3619
Smalley P. C. 20:3925
Smith E. H. 18:3363
Smith J. T. 6:995
Smith M. P. 8:1415
Smith S. C. 18:3399
Smith T. B. 11:2053 (L)
Smoak J. M. 12:2123
Soetaert K. 6:1019
Soler J. M. 24:4913
Sornein J. F. 12:2087
Southam G. 22:4369
Southon J. R. 1:109
Sparks D. L. 1:157
Sparrow M. A. 6:1065
Spencer R. J. 16:3015
Spettel B. 7:1171
Spilde M. N. 15:2921 (L)
Srinivasan G. 10:1823
Stankiewicz B. A. 4:721 (R)
Stecher H. A. 18:3445
Stern R. J. 12:2153
Stetzenbach K. J. 17:3197
Stolper E. M. 11:1963; 14:2635
Stone J. 4:679
Stone W. E. 13:2397
Strebel R. 5:883
Strohle K. 21:4007
Strongin D. R. 23:4701
Stuben D. 12:2153
Su C. 21:4275 (SC)
Suarez D. L. 15:2765
Sullivan K. A. 9:1465
Suzuki K. 16:3151 (SC)
Svensson U. 18:3375
Sverjensky D. A. 20:3773
Swart P. K. 15:2857, 2871
Swinburne N. H. M. 5:815
Szmant A. 15:2857
Szmant A. 15:2871

Taylor D. L. 11:1899
Taylor L. A. 22:4563
Taylor M. C. 18:3435
Taylor S. R. 4:733 (BR)
Taylor W. R. 23:4725
Telmer K. 5:851
Tesoriero A. J. 6:1053
Tessier A. 3:387
Thayer C. W. 21:4207
Thirlwall M. F. 14:2559; 23: 4785
Thode H. G. 7:1261
Thomas E. 24:5089
Thomson J. 21:4007
Tinker D. 3:405
Tolstikhin I. 9:1497
Tomeoka K. 14:2651
Toplis M. J. 21:4107
Tossell J. A. 1:17
Towle S. N. 14:2515; 18:3541 (L)
Traina S. J. 12:2111
Treiman A. H. 1:147
Trimborn P. 17:3305; 21:4025
Turner G. D. 18:3399

Ullman W. J. 16:2939
Ulyanov A. A. 10:1823
Urabe T. 13:2297

Vali H. 23:4689
Valley J. W. 20:3889; 24:5101
Van Cappellen P. 16:2993
van der Loeff M. R. 19:3619
van Haren J. L. M. 18:3487
van Kaam-Peters H. 22:4467
van Os B. J. H. 5:751
Van Riemsdijk W. H. 14:2503
van Santvoort P. M. 21:4007
Vaniman D. T. 22:4417
Vaughan D. J. 19:3631
Veizer J. 4:667; 4:639; 5:851
Velbel M. A. 7:1272 (BR)
Vennemann T. W. 13:2437
Vervoort J. D. 19:3717
von Blanckenburg F. 24:4957
von Grafenstein U. 21:4025

Wadhwa M. 22:4563; 23:4889 (L)
Waisel Y. 17:3305
Walter L. M. 2:225
Wang C.-H. 20:3849
Wang L. 1:109
Wang S. 12:2167
Wang Y. 16:2993
Warner J. A. 24:4945
Warren P. H. 3:539 (C); 4:693
Wasserburg G. J. 8:1329; 11:2037; 15:2887; 19:3751 (R); 22:4537
Wasserman E. A. 24:4977
Wasson J. T. 12:2243
Watkins J. M. 22:4509
Watson E. B. 22:4353; 24:5013, 5021
Waychunas G. A. 10:1765
Wayne D. M. 4:653
Weare J. H. 7:1209
Webb S. 1:75; 6:1099 (SC)
Webster J. D. 17:3267
Wehmiller J. F. 19:3735
Wehrli B. 13:2333
Weiner S. 20:3949
Weisberg M. K. 21:4253
Weiser T. 11:2019
Weiss C. A. Jr. 2:265
Welch S. A. 16:2939
Wharton R. A. Jr. 5:765
Wheat C. G. 19:3593
White A. F. 14:2533; 20:3799; 24:9999 (BR)
White W. M. 21:3995
Whitehouse M. J. 16:3085
Wieler R. 1:31; 14:2681
Wilding M. C. 6:1099 (SC); 21:4123
Wilkin R. T. 20:3897; 21:4167
Williams A. E. 18:3435
Williams-Jones A. E. 11:1917; 23:4615
Wilson M. R. 11:1933
Wilson T. R. S. 21:4007
Winland R. L. 12:2111
Winter B. L. 24:5101
Wolf D. 6:1091 (SC)
Wolf M. 12:2111
Wolf R. A. 21:4223, 4231
Wolfram O. 21:3983
Wood B. J. 2:359 (L)
Wood S. A. 7:1271 (BR); 23:4615
Worden R. H. 20:3925
Woronow A. 4:577
Wu J. 15:2729

Xiao Y. 13:2283
Xu Y. 23:4701
Xu N. 15:2801

Yakir D. 17:3305; 20:3949
Yang C. 5:851
Yang W. 16:3015
Yapp C. J. 22:4397
Yardley B. W. D. 1:43; 8:1415
Yates D. M. 11:1873
Yechieli Y. 11:1909
Yeung D. 7:1261
You C.-F. 5:909 (L)
Young J. E. 23:4735
Yu Z. 24:4945
Yuen D. A. 7:1113
Yui T.-F. 5:917 (E)
Yund R. A. 21:4075

Zachara J. M. 18:3399
Zeissler C. J. 1:121
Zeng Q. 1:59
Zeng W. 1:1
Zhai M. 23:4877 (L)
Zhang H. 6:941
Zhang J. 23:4631
Zindler A. 4:711 (SC); 8:1429; 17:3229
Zinner E. K. 11:1975; 21:4265
Zolensky M. E. 14:2621
Zotov A. 5:737
Zou H. 4:711 (SC)
Zysset M. 6:921